GD313x/GD312x Advanced High Voltage Isolated Gate Driver

GD313X-GD312X NEW

Preproduction


本页面包含试生产产品的信息。页面中的规格和信息如有更改，恕不另行通知。如需更多信息，请联系销售代表。

Last Updated: Nov 9, 2026


The GD313x/GD312x family consists of a galvanically isolated, single-channel gate driver designed for silicon carbide (SiC) metal-oxide-semiconductor field-effect transistor (MOSFET) and insulated-gate bipolar transistor (IGBT) power modules in xEV traction inverter applications. These devices integrate galvanic isolation, a serial peripheral interface (SPI)-programmable, advanced protection features and boost capability for directly driving the gate..

The devices autonomously detect and manage faults and provide configurable VCE/VDS and VGE monitoring for enhanced diagnostics. Built-in self-test (BIST) functions and protection features support the development of systems targeting ASIL C and ASIL D functional safety requirements. The GD313x/2x is AEC-Q100 Grade 1 qualified for automotive applications. The GD313x also provides adjustable dynamic gate strength.

GD3120 Block Diagram



GD3130 Block Diagram



View additional information for GD313x/GD312x Advanced High Voltage Isolated Gate Driver.

Note: The information on this document is subject to change without notice.

www.nxp.com
NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2026 NXP B.V.