



MCX C15 and MCX C16 Entry-Level, Low-Cost MCUs with Arm® Cortex®-M23 and Advanced Peripherals

MCX-C15-C16 NEW

Preproduction


本页介绍的产品处于样品阶段。此处的产品技术规格和信息如有变更，恕不另行通知。如需了解更多信息和样品供货情况，请联系恩智浦 支持服务或恩智浦当地销售人员。

Last Updated: May 13, 2026


The MCX C15 and MCX C16 microcontrollers (MCUs) are low-cost, entry-level devices featuring an Arm® Cortex®-M23 core running at up to 72 MHz, with memory configurations offering up to 64 KB of flash memory and 16 KB of SRAM. These devices bring precision analog and control peripherals into the low-cost, entry-level MCU class, making advanced features—such as a 16-bit analog-to-digital converter (ADC), comparator with digital-to-analog converter (DAC) and flexible pulse-width modulation (FlexPWM) for motor control—accessible to cost-sensitive IoT applications.

Designed as an upgrade path from legacy 8-bit and 16-bit MCUs, as well as devices based on Arm Cortex-M0+ cores, this entry-level 32-bit MCU series delivers higher performance and greater scalability without increasing costs. Simple migration paths from widely used LPC800, LPC1100 and Kinetis MCUs—along with pin-to-pin compatible options within the newer MCX A Series—enable a seamless transition across the NXP MCU portfolio.

MCX C151 Block Diagram Block Diagram



MCX C161/162 Block Diagram Block Diagram



View additional information for [MCX C15 and MCX C16 Entry-Level, Low-Cost MCUs with Arm® Cortex®-M23 and Advanced Peripherals](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2026 NXP B.V.