

SOT878-1

plastic rectangular-DIL-bent-SIL (reverse bent) power package; 27 leads, (row spacing 2.54 mm)

10 April 2018

Package information

1. Package summary

Terminal position codeZ (zig-zag)Package type descriptive codeRDBS27PPackage type industry codeRDBS27P

Package style descriptive code RDBS (right-angle DIL-bent-SIL)

Package body material type P (plastic)

Mounting method type T (through-hole mount)

Issue date19-12-2012Manufacturer package codeSOT878


Table 1. Package summary

Symbol	Parameter	Min	Тур	Nom	Max	Unit
D	package length	28.8	-	29	29.2	mm
E	package width	15.5	-	15.7	15.9	mm
A ₂	package height	4.4	-	4.5	4.6	mm
е	nominal pitch	-	-	2	-	mm
n ₂	actual quantity of termination	-	-	27	-	A/A




plastic rectangular-DIL-bent-SIL (reverse bent) power package; 27 leads, (row spacing 2.54 mm)

2. Package outline



plastic rectangular-DIL-bent-SIL (reverse bent) power package; 27 leads, (row spacing 2.54 mm)

3. Soldering



plastic rectangular-DIL-bent-SIL (reverse bent) power package; 27 leads, (row spacing 2.54 mm)

4. Legal information

Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the *Terms and conditions of commercial sale* of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

plastic rectangular-DIL-bent-SIL (reverse bent) power package; 27 leads, (row spacing 2.54 mm)

5. Contents

1.	Package summary	1
2.	Package outline	2
	Soldering	
	Legal information	
	·	
© N	IXP B.V. 2018. All rights reserved	

For more information, please visit: http://www.nxp.com For sales office addresses, please send an email to: salesaddresses@nxp.com Date of release: 10 April 2018