

SOT1312-1

HXSON4; Reel pack; SMD, 7" Q3/T4 reverse product orientation Orderable part number ending, 125 or H Ordering code (12NC) ending 125

Rev. 1 — 4 December 2013

Packing information

1. Packing method




Table 1. Dimensions and quantities

Reel dimensions d × w (mm) 11	SPQ/PQ (pcs)	Reels per box	Outer box dimensions I × w × h (mm)
180 × 8	4000	1	$187\times187\times18$


[1] d = reel diameter; w = tape width.



NXP Semiconductors SOT1312-1

HXSON4; Reel pack; SMD, 7" Q3/T4 reverse product orientation Orderable part number ending, 125 or H Ordering code (12NC) ending 125

2. Product orientation



3. Carrier tape dimensions




Table 2. Carrier tape dimensions

In accordance with IEC 60286-3.

A ₀ (mm)	B ₀ (mm)	K ₀ (mm)	T (mm)	P ₁ (mm)	W (mm)
1.8	2.25	0.60	-	4.0	8.0

NXP Semiconductors SOT1312-1

HXSON4; Reel pack; SMD, 7" Q3/T4 reverse product orientation Orderable part number ending, 125 or H Ordering code (12NC) ending 125

4. Reel dimensions




Table 3. Reel dimensions
In accordance with IEC 60286-3.

A [nom]	W2 [max]	B [min]	C [min]	D [min]
(mm)	(mm)	(mm)	(mm)	(mm)
180	14.4	1.5	12.8	20.2

NXP Semiconductors SOT1312-1

HXSON4; Reel pack; SMD, 7"
Q3/T4 reverse product orientation
Orderable part number ending, 125 or H
Ordering code (12NC) ending 125

5. Barcode label




Table 4. Barcode dimensions

Box barcode label I × w (mm)	Reel barcode label I × w (mm)
100 × 75	100 × 75

Date of release: 4 December 2013

Document identifier: SOT1312-1_125