



SOT78

plastic single-ended package; heatsink mounted; 1 mounting hole; 3-lead TO-220AB

8 February 2016

Package information

1. Package summary

Terminal position code	S (single)
Package type descriptive code	TO-220AB
Package type industry code	TO-220AB
Package style descriptive code	SFM (single-ended flange mount)
Package style suffix code	NA (not applicable)
Package body material type	P (plastic)
JEDEC package outline code	3-lead TO-220AB
JEITA package outline code	SC-46
Mounting method type	H (heatsink mount)
Issue date	13-6-2008

Table 1. Package summary

Symbol	Parameter		Min	Typ	Nom	Max	Unit
D	package length		15.2	-	15.6	16	mm
E	package width		9.7	-	10	10.3	mm
A	seated height		4.1	-	4.4	4.7	mm
e	nominal pitch		-	-	2.54	-	mm
n ₂	actual quantity of termination		-	-	3	-	





**plastic single-ended package; heatsink mounted;
1 mounting hole; 3-lead TO-220AB**

2. Package outline

Plastic single-ended package; heatsink mounted; 1 mounting hole; 3-lead TO-220AB

SOT78



DIMENSIONS (mm are the original dimensions)

UNIT	A	A ₁	b	b ₁ (²)	b ₂ (²)	c	D	D ₁	E	e	L	L ₁ (¹)	L ₂ (¹) max.	p	q	Q
mm	4.7	1.40	0.9	1.6	1.3	0.7	16.0	6.6	10.3	2.54	15.0	3.30	3.0	3.8	3.0	2.6
	4.1	1.25	0.6	1.0	1.0	0.4	15.2	5.9	9.7		12.8	2.79		3.5	2.7	2.2

Notes

1. Lead shoulder designs may vary.
2. Dimension includes excess dambar.

OUTLINE VERSION	REFERENCES				EUROPEAN PROJECTION	ISSUE DATE
	IEC	JEDEC	JEITA			
SOT78		3-lead TO-220AB	SC-46			08-04-23 08-06-13

Fig. 1. Package outline TO-220AB (SOT78)

plastic single-ended package; heatsink mounted;
1 mounting hole; 3-lead TO-220AB

3. Legal information

Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the *Terms and conditions of commercial sale* of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

plastic single-ended package; heatsink mounted;
1 mounting hole; 3-lead TO-220AB

4. Contents

1. Package summary..... 1

2. Package outline..... 2

3. Legal information..... 3

© NXP Semiconductors N.V. 2016. All rights reserved

For more information, please visit: <http://www.nxp.com>

For sales office addresses, please send an email to: salesaddresses@nxp.com

Date of release: 8 February 2016