SUPPLIER

URL for Additional Information

PART INFORMATION

Mfg Item Number

Mfg Item Name

SPC5674FK0MVV3

TEPBGA PGE 516 27*27 P1

Company Name Freescale Semiconductor Inc Company Unique ID 14-141-7928 Response Date 2018-04-24 Response Document ID 5193A1.14 Contact Name Freescale Semiconductor Inc Contact Title Product Technical Support **Contact Phone** 1-800-521-6274 Contact Email support@freescale.com Daniel Binyon **Authorized Representative** Representative Title **EPP Customer Response** Representative Phone 512-895-3406 Representative Email eppanlst@freescale.com

DECLARATION

EU RoHS
Pb Free
No
HalogenFree
Plating Indicator
EU RoHS Exemption(s)

www.freescale.com

MANUFACTURING Mfg Item Number SPC5674FK0MVV3 Mfg Item Name TEPBGA PGE 516 27*27 P1 Version ALL Weight 4.634800 UoM Unit Volume EACH J-STD-020 MSL Rating 3 Peak Processing Temperature 245 C Max Time at Peak Temperature 30 seconds Number of Processing Cycles 3

RoHS									
RoHS Directive	2011/65/EU								
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium								
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provi								
RoHS Declaration	3 - Item(s) does not contain RoHS restricted substances per the definition above except for lead in solders and selected exemptions, if any								
Supplier Acceptance	Accepted								
Signature	Daniel Binyon								
Exemption List Version	2012/51/EU								
List of Freescale Accepted Exemptions	6(a): Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight								
	6(b): Lead as an alloying element in aluminium containing up to 0.4% lead by weight								
	6(c): Copper alloy containing up to 4% lead by weight								
	7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)								
	7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications								
	7(c)-I: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound								
	7(c)-II: Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher								
	7(c)-III: Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC								
	7(c)-IV: Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors								
	15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages								

Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
Epoxy Die Attach	0.01						g				
poxy Die Attach		Solvents, additives, and other materials	1,3,5-Triazine-2,4-diamine, 6-[2-(2-methyl-1H-imidazol-1-yl)ethyl]	38668-46-1		0.00008451	g	8451	0.8451	18	0.0018
poxy Die Attach		Plastics/polymers	Phenolic Polymer Resin, Epikote 155	9003-36-5		0.00129579	g	129579	12.9579	279	0.0279
poxy Die Attach		Plastics/polymers	4,4'-Dihydroxydiphenyl	92-88-6		0.00008451	g	8451	0.8451	18	0.0018
poxy Die Attach		Metals	Silver, metal	7440-22-4		0.00853519	g	853519	85.3519	1841	0.1841
older Balls - Low Lead	0.6876						g				
older Balls - Low Lead		Lead/Lead Compounds	Lead	7439-92-1		0.247536	g	360000	36	53408	5.3408
older Balls - Low Lead		Metals	Silver, metal	7440-22-4		0.013752	g	20000	2	2967	0.2967
older Balls - Low Lead		Metals	Tin, metal	7440-31-5		0.426312	g	620000	62	91980	9.198
ie Encapsulant, Halogen-free	1.8139						g				
ie Encapsulant, Halogen-free		Plastics/polymers	Other Epoxy resins	-		0.108834	g	60000	6	23481	2.3481
ie Encapsulant, Halogen-free		Solvents, additives, and other materials	Carbon Black	1333-86-4		0.018139	g	10000	1	3913	0.3913
lie Encapsulant, Halogen-free		Solvents, additives, and other materials	Other inorganic compounds.	-		0.036278	g	20000	2	7827	0.7827
lie Encapsulant, Halogen-free		Plastics/polymers	Other phenolic resins	-		0.090695	g	50000	5	19568	1.9568
ie Encapsulant, Halogen-free		Glass	Silica, vitreous	60676-86-0		1.559954	g	860000	86	336586	33.6586
rganic Substrate, Halogen-fre	2.0583						g				
Organic Substrate, Halogen-fre		Solvents, additives, and other materials	Other acrylates	-		0.02766561	g	13441	1.3441	5969	0.5969
rganic Substrate, Halogen-fre		Metals	Aluminum Oxides (Al2O3)	1344-28-1		0.1098597	g	53374	5.3374	23703	2.3703
Prganic Substrate, Halogen-fre		Metals	Barium	7440-39-3		0.02487044	g	12083	1.2083	5366	0.5366
rganic Substrate, Halogen-fre		Metals	Copper, metal	7440-50-8		1.36358258	g	662480	66.248	294205	29.4205
rganic Substrate, Halogen-fre		Plastics/polymers	2,2'-[(1-methylethylidene)bis(4,1- phenyleneoxymethylene)]bisoxirane	1675-54-3		0.00553477	g	2689	0.2689	1194	0.1194
rganic Substrate, Halogen-fre		Metals	Gold, metal	7440-57-5		0.00274166	g	1332	0.1332	591	0.0591
rganic Substrate, Halogen-fre		Nickel (external applications only)	Nickel	7440-02-0		0.01894459	g	9204	0.9204	4087	0.4087
rganic Substrate, Halogen-fre		Solvents, additives, and other materials	Other organic Silicon Compounds	-		0.0007554	g	367	0.0367	162	0.0162
rganic Substrate, Halogen-fre		Glass	Fibrous-glass-wool	65997-17-3		0.23672508	g	115010	11.501	51075	5.1075
rganic Substrate, Halogen-fre		Glass	Silicon dioxide	7631-86-9		0.1351418	g	65657	6.5657	29158	2.9158
rganic Substrate, Halogen-fre		Solvents, additives, and other materials	Proprietary Material-Other miscellaneous substances.	-		0.02822547	g	13713	1.3713	6089	0.6089
rganic Substrate, Halogen-fre		Plastics/polymers	Other Non-halogenated Epoxy resins	-		0.1042529	g	50650	5.065	22493	2.2493
onding Wire, PdCu	0.025						g				
onding Wire, PdCu		Metals	Copper, metal	7440-50-8		0.024525	g	981000	98.1	5291	0.5291
onding Wire, PdCu		Metals	Gold, metal	7440-57-5		0.000025	g	1000	0.1	5	0.0005
onding Wire, PdCu		Metals	Palladium, metal	7440-05-3		0.00045	g	18000	1.8	97	0.0097
ilicon Semiconductor Die	0.04						g				
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.0008	g	20000	2	172	0.0172
illicon Semiconductor Die		Glass	Silicon, doped			0.0392	a	980000	98	8457	0.8457

LINKS MCD LINK NXP website http://www.nxp.com GENERAL ENVIRONMENTAL COMPLIANCE LINKS http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf RoHS signed letter China RoHS http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf REACH signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf ELV signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf Conflict Minerals statement NXP ENVIRONMENTAL INFORMATION Environmental Compliance website http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX FAQ http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ http://www.nxp.com/support/sales-and-support:SUPPORTHOME Technical Service Request

http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf

LINKS TO BLANK IPC1752 FORMS Blank IPC1752 v1.1 Form

IPC1752 XML LINKS

http://www.freescale.com/mcds/SPC5674FK0MVV3_IPC1752_v11.xml

http://www.freescale.com/mcds/SPC5674FK0MVV3_IPC1752A.xml