

Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 1 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : 優美科薄膜材料股份有限公司 (UMICORE THIN FILM PRODUCTS TAIWAN CO.,

LTD.)

樣品名稱(Sample Name) : WTi10 4N5

收件日(Sample Receiving Date)

: 03-Jan-2025

測試期間(Testing Period)

測試結果(Test Results)

: 03-Jan-2025 to 17-Jan-2025

測試需求(Test Requested) : (1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試

鎘、鉛、汞、六價鉻、多溴聯苯 。多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs,

PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

請參閱下一頁 (Please refer to following pages.)

結 論(Conclusion) : (1) 根據客戶所提供的樣品,其錦、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP,

BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Malager
Signed for and on behalf of Arwands
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: B5AA67F9



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 2 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試部位敘述 (Test Part Description)

No.1 : 灰色金屬 (GRAY METAL)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017 ·	mg/kg	2	n.d.	1000
	以感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
	OES.)				
六價鉻 (Hexavalent Chromium) Cr(VI)	參考IEC 62321-7-1: 2015,以紫外光-可見	μg/cm²	0.1	n.d.	-
(#2)	光分光光度計分析。(With reference to				
	IEC 62321-7-1: 2015, analysis was				
	performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)	参考IEC 62321-6: 2015 · 以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)	譜儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)	50,5.,	mg/kg	5	n.d.	_
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 3 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)	☆ ≯ I C C 2 2 2 1 C : 2 0 1 E : □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	參考IEC 62321-6: 2015 · 以氣相層析儀/質 譜儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	=
七溴聯苯醚 (Heptabromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	=
八溴聯苯醚 (Octabromodiphenyl ether)	GC/1413.)	mg/kg	5	n.d.	=
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	=
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP))					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	1000
phthalate (DBP))	譜儀分析。(With reference to IEC 62321-				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-	8: 2017, analysis was performed by	mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))	GC/MS.)				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	1000
phthalate (DIBP))					
六溴環十二烷及所有主要被辨別出的異構	參考IEC 62321-9: 2021 · 以氣相層析儀/質	mg/kg	20	n.d.	-
物(HBCDD) (α- HBCDD, β- HBCDD, γ-	譜儀分析。(With reference to IEC 62321-				
HBCDD) (Hexabromocyclododecane	9: 2021, analysis was performed by				
(HBCDD) and all major	GC/MS.)				
diastereoisomers identified (α- HBCDD,					
β- HBCDD, γ- HBCDD)) (CAS No.:					
25637-99-4, 3194-55-6 (134237-51-7,					
134237-50-6, 134237-52-8))					



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 4 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	n.d.	-
8)					
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-	 参考BS EN 14582: 2016 · 以離子層析儀分	mg/kg	50	n.d.	-
15-1)	析。(With reference to BS EN 14582:				
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
多氯聯苯 (PCBs) (Polychlorinated		mg/kg	0.5	n.d.	-
biphenyls (PCBs))	参考US EPA 3550C: 2007,以氣相層析儀/				
多氯奈 (PCNs) (Polychlorinated	質譜儀分析。(With reference to US EPA	mg/kg	5	n.d.	-
naphthalene (PCNs))	3550C: 2007, analysis was performed by				
多氯三聯苯 (PCTs) (Polychlorinated	GC/MS.)	mg/kg	0.5	n.d.	-
terphenyls (PCTs))					
短鏈氯化石蠟(C10-C13) (SCCP) (Short	參考ISO 18219-1: 2021‧以氣相層析儀/	mg/kg	50	n.d.	-
Chain Chlorinated Paraffins(C10-C13)	質譜儀分析。(With reference to ISO				
(SCCP)) (CAS No.: 85535-84-8)	18219-1: 2021, analysis was performed				
	by GC/MS.)		0.00		
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
三苯基錫 (TPT) (Triphenyl tin (TPT)) 二丁基錫 (DBT) (Dibutyl tin (DBT))	焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was	mg/kg	0.03	n.d. n.d.	-
二辛基錫 (DOT) (Dioctyl tin (DOT))	performed by GC/FPD.)	mg/kg mg/kg	0.03	n.d.	-
工 + 墨吻 (DOT) (Diocty) tin (DOT)) 氧化雙三丁基錫 (TBTO) (Bis(tributyItin)	由三丁基錫測試結果計算得之。	mg/kg	0.03	n.d.	
oxide (TBTO)) (CAS No.: 56-35-9)	(Calculated from the result of Tributyl	mg/kg	0.05	11.0.	
Oxide (1510)) (c. 15146). 50 55 5)	Tin (TBT).)				
偶氮染料 (AZO Dyes)	, ,,				
4-氨基二苯 (4-aminobiphenyl) (CAS	參考EN ISO 14362-1: 2017,以氣相層析	mg/kg	3	n.d.	-
No.: 92-67-1)	質譜儀及高效液相層析儀/二極體陣列偵測	<i>J</i> , <i>J</i>			
聯苯胺 (Benzidine) (CAS No.: 92-87-5)	器分析。(With reference to EN ISO	mg/kg	3	n.d.	-
4-氯鄰甲苯胺 (4-chloro-o-toluidine)	14362-1: 2017, analysis was performed	mg/kg	3	n.d.	-
(CAS No.: 95-69-2)	by GC/MS and HPLC/DAD.)				



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 5 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
2-萘胺 (2-naphthylamine) (CAS No.: 91-		mg/kg	3	n.d.	-
59-8)					
鄰-胺基偶氮甲苯 (o-aminoazotoluene)		mg/kg	3	n.d.	-
(CAS No.: 97-56-3)					
2-胺基-4-硝基甲苯 (5-nitro-o-toluidine)		mg/kg	3	n.d.	-
(CAS No.: 99-55-8)					
4-氯苯胺 (4-chloroaniline) (CAS No.:		mg/kg	3	n.d.	-
106-47-8)					
2,4-二氨基苯甲醚 (2,4-diaminoanisole)		mg/kg	3	n.d.	-
(CAS No.: 615-05-4)					
4,4'-二胺基二苯甲烷 (4,4'-		mg/kg	3	n.d.	-
diaminodiphenylmethane (MDA)) (CAS					
No.: 101-77-9)					
3,3'-二氯聯苯胺 (3,3'-dichlorobenzidine)	☆ *FN ICO 142C2 1, 2017 - 以信担屋ゼ	mg/kg	3	n.d.	-
(CAS No.: 91-94-1)	參考EN ISO 14362-1: 2017 · 以氣相層析				
3,3'-二甲氧基聯苯胺 (3,3'-	質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO	mg/kg	3	n.d.	-
dimethoxybenzidine) (CAS No.: 119-	14362-1: 2017, analysis was performed				
90-4)	by GC/MS and HPLC/DAD.)				
3,3'-二甲基聯苯胺 (3,3'-	l de/ivis and tir Le/DAD.)	mg/kg	3	n.d.	-
dimethylbenzidine) (CAS No.: 119-93-					
7)					
3,3'-二甲基-4,4'-二胺基二苯甲烷 (3,3'-		mg/kg	3	n.d.	-
dimethyl-4,4'-					
diaminodiphenylmethane) (CAS No.:					
838-88-0)					
2-甲氧基-5-甲基苯胺 (2-methoxy-5-		mg/kg	3	n.d.	-
methylaniline) (CAS No.: 120-71-8)					
4,4'-亞甲雙(2-氯苯胺) (4,4'-methylene-		mg/kg	3	n.d.	-
bis-(2-chloroaniline)) (CAS No.: 101-14-					
4)					
4,4'-二胺基二苯醚 (4,4'-oxydianiline)		mg/kg	3	n.d.	-
(CAS No.: 101-80-4)					



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 6 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
4,4'-硫二苯胺 (4,4'-thiodianiline) (CAS		mg/kg	3	n.d.	-
No.: 139-65-1)					
鄰-甲苯胺 (o-toluidine) (CAS No.: 95-	 参考EN ISO 14362-1: 2017·以氣相層析	mg/kg	3	n.d.	-
53-4)	多名LIN ISO 14302-1, 2017 · 欧梨石富初 質譜儀及高效液相層析儀/二極體陣列偵測				
2,4-甲苯二胺 (2,4-diaminotoluene) (CAS	器分析。(With reference to EN ISO	mg/kg	3	n.d.	-
No.: 95-80-7)	14362-1: 2017, analysis was performed				
2,4,5-三甲苯胺 (2,4,5-trimethylaniline)	by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
(CAS No.: 137-17-7)	Sy				
鄰-甲氧基苯胺 (o-anisidine) (CAS No.:		mg/kg	3	n.d.	-
90-04-0)					
4-苯基偶氮基苯胺 (4-aminoazobenzene)		mg/kg	3	n.d.	-
(CAS No.: 60-09-3)	ISO 14362-3: 2017 · 以氣相層析質譜儀及				
	高效液相層析儀/二極體陣列偵測器分析。				
	(With reference to EN ISO 14362-1: 2017				
	or/and EN ISO 14362-3: 2017, analysis				
	was performed by GC/MS &				
	HPLC/DAD.)				
2,4-二甲基苯胺 (2,4-xylidine) (CAS No.:	参考EN ISO 14362-1: 2017,以氣相層析	mg/kg	3	n.d.	-
95-68-1)	質譜儀及高效液相層析儀/二極體陣列偵測				
	器分析。(With reference to EN ISO				
2,6-二甲基苯胺 (2,6-xylidine) (CAS No.:	14362-1: 2017, analysis was performed	mg/kg	3	n.d.	-
87-62-7)	by GC/MS and HPLC/DAD.)				
HI (-7 18 (D. 1	4 t/ (CT) / 5/050 0001 D/ (t) / t+ t+ 15/7	**		N:	
聚氯乙烯 (Polyvinyl chloride) (PVC)	参考ASTM E1252: 2021 · 以傅立葉轉換紅	**	-	Negative	-
	外線光譜儀及焰色法分析。(With				
	reference to ASTM E1252: 2021, analysis				
	was performed by FT-IR and Flame Test.)				



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 7 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
石綿 (Asbestos)					
陽起石綿 (Actinolite) (CAS No.: 77536-		-	-	Negative	-
66-4)	⇔ 老FDA COO/D O2/11C 10O2 以☆颶原				
褐石綿/鐵石綿 (Amosite) (CAS No.:	參考EPA 600/R-93/116: 1993 · 以立體顯	-	-	Negative	-
12172-73-5)	微鏡(SM)與分散染色式偏光顯微鏡(DS-PLM)及X光繞射光譜分析法(XRD)分析。				
斜方角閃石綿 (Anthophyllite) (CAS No.:	(With reference to EPA 600/R-93/116:	-	-	Negative	-
77536-67-5)	1993, analysis was performed by Stereo				
白石綿/溫石綿 (Chrysotile) (CAS No.:	Microscope (SM), Dispersion Staining	-	-	Negative	-
12001-29-5)	Polarized Light Microscope (DS-PLM)				
青石綿 (Crocidolite) (CAS No.: 12001-	and X-ray Diffraction Spectrometer	-	-	Negative	-
28-4)	(XRD).)				
透閃石綿 (Tremolite) (CAS No.: 77536-	(11.0).)	-	-	Negative	-
68-6)					
砷 (As) (Arsenic (As)) (CAS No.: 7440-		mg/kg	2	n.d.	-
38-2)	参考US EPA 3052: 1996,以感應耦合電漿				
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	發射光譜儀分析。(With reference to US	mg/kg	2	n.d.	-
41-7)	EPA 3052: 1996, analysis was performed				
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	by ICP-OES.)	mg/kg	2	n.d.	-
36-0)					
中鏈氯化石蠟(C14-C17) (MCCP)	參考ISO 18219-2: 2021‧以氣相層析儀/	mg/kg	50	n.d.	-
(Medium Chain Chlorinated	質譜儀分析。(With reference to ISO				
Paraffins(C14-C17) (MCCP)) (CAS No.:	18219-2: 2021, analysis was performed				
85535-85-9)	by GC/MS.)				
四溴雙酚-A (TBBP-A)	參考RSTS-E&E-121·以液相層析儀/質譜	mg/kg	10	n.d.	-
(Tetrabromobisphenol A (TBBP-A))	儀分析。(With reference to RSTS-E&E-				
(CAS No.: 79-94-7)	121, analysis was performed by LC/MS.)				



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 8 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
氟氯碳化物 (Chlorofluorocarbons)				No.1	
(CFCs)					
CFC-13 (CAS No.: 75-72-9)		mg/kg	1	n.d.	_
CFC-111 (CAS No.: 354-56-3)		mg/kg	1	n.d.	-
CFC-112 (CAS No.: 76-12-0)		mg/kg	1	n.d.	-
CFC-211 (CAS No.: 422-78-6)		mg/kg	1	n.d.	-
CFC-212 (CAS No.: 3182-26-1)		mg/kg	1	n.d.	-
CFC-213 (CAS No.: 2354-06-5)	☆ ★UC FDA F031A 2014 N/与47房ゼ//	mg/kg	1	n.d.	-
CFC-214 (CAS No.: 29255-31-0)	参考US EPA 5021A: 2014・以氣相層析儀/	mg/kg	1	n.d.	-
CFC-215 (CAS No.: 4259-43-2)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
CFC-216 (CAS No.: 661-97-2)	5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-217 (CAS No.: 422-86-6)	1GC/1VI3.)	mg/kg	1	n.d.	-
CFC-12 (CAS No.: 75-71-8)		mg/kg	1	n.d.	-
CFC-11 (CAS No.: 75-69-4)		mg/kg	1	n.d.	-
CFC-115 (CAS No.: 76-15-3)		mg/kg	1	n.d.	-
CFC-114 (CAS No.: 76-14-2)		mg/kg	1	n.d.	-
CFC-113 (CAS No.: 76-13-1)		mg/kg	1	n.d.	-
氟氯氫烷碳化物					
(Hydrochlorofluorocarbons) (HCFCs)					
HCFC-21 (CAS No.: 75-43-4)		mg/kg	1	n.d.	-
HCFC-22 (CAS No.: 75-45-6)		mg/kg	1	n.d.	-
HCFC-31 (CAS No.: 593-70-4)		mg/kg	1	n.d.	-
HCFC-121 (CAS No.: 354-14-3)		mg/kg	1	n.d.	-
HCFC-122 (CAS No.: 354-21-2)	参考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
HCFC-123 (CAS No.: 306-83-2)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
HCFC-124 (CAS No.: 2837-89-0)	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
HCFC-131 (CAS No.: 359-28-4)	GC/MS.)	mg/kg	1	n.d.	-
HCFC-142b (CAS No.: 75-68-3)		mg/kg	1	n.d.	-
HCFC-221 (CAS No.: 422-26-4)		mg/kg	1	n.d.	-
HCFC-222 (CAS No.: 422-49-1)		mg/kg	1	n.d.	-
HCFC-223 (CAS No.: 422-52-6)		mg/kg	1	n.d.	-



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 9 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HCFC-224 (CAS No.: 422-54-8)		mg/kg	1	n.d.	-
HCFC-225ca (CAS No.: 422-56-0)		mg/kg	1	n.d.	-
HCFC-225cb (CAS No.: 507-55-1)		mg/kg	1	n.d.	-
HCFC-226 (CAS No.: 431-87-8)		mg/kg	1	n.d.	-
HCFC-231 (CAS No.: 421-94-3)		mg/kg	1	n.d.	-
HCFC-232 (CAS No.: 460-89-9)		mg/kg	1	n.d.	-
HCFC-233 (CAS No.: 7125-84-0)		mg/kg	1	n.d.	-
HCFC-234 (CAS No.: 425-94-5)		mg/kg	1	n.d.	-
HCFC-235 (CAS No.: 460-92-4)		mg/kg	1	n.d.	-
HCFC-241 (CAS No.: 666-27-3)		mg/kg	1	n.d.	-
HCFC-242 (CAS No.: 460-63-9)		mg/kg	1	n.d.	-
HCFC-244	參考US EPA 5021A: 2014‧以氣相層析儀/	mg/kg	1	n.d.	-
HCFC-251 (CAS No.: 421-41-0)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
HCFC-252 (CAS No.: 819-00-1)	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
HCFC-261 (CAS No.: 420-97-3)	GC/MS.)	mg/kg	1	n.d.	-
HCFC-262 (CAS No.: 421-02-03)		mg/kg	1	n.d.	-
HCFC-271 (CAS No.: 430-55-7)		mg/kg	1	n.d.	-
HCFC-141b (CAS No.: 1717-00-6)		mg/kg	1	n.d.	-
HCFC-243 (CAS No.: 460-69-5)		mg/kg	1	n.d.	-
HCFC-253 (CAS No.: 460-35-5)		mg/kg	1	n.d.	-
HCFC-141		mg/kg	1	n.d.	-
HCFC-142		mg/kg	1	n.d.	-
HCFC-151		mg/kg	1	n.d.	-
HCFC-225		mg/kg	1	n.d.	-
HCFC-133		mg/kg	1	n.d.	-
HCFC-132		mg/kg	1	n.d.	-
海龍 (Halons)					
海龍-1211 (Halon-1211) (CAS No.: 353-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
59-3)	質譜儀分析。(With reference to US EPA				
海龍-1301 (Halon-1301) (CAS No.: 75-	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
63-8)	GC/MS.)				



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 10 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
海龍-2402 (Halon-2402) (CAS No.: 124-73-2)	參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
海龍-1202 (Halon-1202) (CAS No.: 75-61-6)	5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
溴甲烷 (Methyl Bromide) (CAS No.: 74-83-9)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
不完全鹵化氟溴化物					
(Hydrobromofluorocarbons) (HBFCs)					
HBFC-271B1 (C3H6FBr)		mg/kg	1	n.d.	-
HBFC-262B1 (C3H5F2Br)		mg/kg	1	n.d.	-
HBFC-261B2 (C3H5FBr2)		mg/kg	1	n.d.	-
HBFC-253B1 (C3H4F3Br)		mg/kg	11	n.d.	_
HBFC-252B2 (C3H4F2Br2)		mg/kg	1	n.d.	-
HBFC-244B1 (C3H3F4Br)		mg/kg	1	n.d.	-
HBFC-243B2 (C3H3F3Br2)		mg/kg	1	n.d.	-
HBFC-242B3 (C3H3F2Br3)		mg/kg	1	n.d.	-
HBFC-241B4 (C3H3FBr4)	 参考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
HBFC-235B1 (C3H2F5Br)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	_
HBFC-234B2 (C3H2F4Br2)	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	_
HBFC-233B3 (C3H2F3Br3)	GC/MS.)	mg/kg	1	n.d.	_
HBFC-232B4 (C3H2F2Br4)		mg/kg	1	n.d.	-
HBFC-231B5 (C3H2FBr5)		mg/kg	1	n.d.	-
HBFC-226B1 (C3HF6Br)		mg/kg	1	n.d.	-
HBFC-225B2 (C3HF5Br2)		mg/kg	1	n.d.	-
HBFC-224B3 (C3HF4Br3)		mg/kg	1	n.d.	-
HBFC-223B4 (C3HF3Br4)		mg/kg	1	n.d.	-
HBFC-222B5 (C3HF2Br5)		mg/kg	1	n.d.	-
HBFC-221B6 (C3HFBr6)		mg/kg	1	n.d.	-
HBFC-151B1 (C2H4FBr)		mg/kg	1	n.d.	-



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 11 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HBFC-142B1 (C2H3F2Br)		mg/kg	1	n.d.	-
HBFC-141B2 (C2H3FBr2)		mg/kg	1	n.d.	-
HBFC-133B1 (C2H2F3Br)		mg/kg	1	n.d.	-
HBFC-132B2 (C2H2F2Br2)		mg/kg	1	n.d.	-
HBFC-131B3 (C2H2FBr3)		mg/kg	1	n.d.	-
HBFC-124B1 (C2HF4Br)		mg/kg	1	n.d.	-
HBFC-123B2 (C2HF3Br2)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
HBFC-122B3 (C2HF2Br3)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
HBFC-121B4 (C2HFBr4)	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
HBFC-31B1 (CH2FBr) (CAS No.: 373-52-	GC/MS.)	mg/kg	1	n.d.	-
4)					
HBFC-22B1 (CHF2Br) (CAS No.: 1511-		mg/kg	1	n.d.	-
62-2)					
HBFC-21B2 (CHFBr2) (CAS No.: 1868-		mg/kg	1	n.d.	-
53-7)					
HBFC-251B1		mg/kg	1	n.d.	-
氫氟碳化合物 (Hydrofluorocarbon)					
(HFCs)					
HFC-23 (CHF3) (CAS No.: 75-46-7)		mg/kg	1	n.d.	-
HFC-32 (CH2F2) (CAS No.: 75-10-5)		mg/kg	1	n.d.	-
HFC-41 (CH3F) (CAS No.: 593-53-3)		mg/kg	1	n.d.	-
HFC-43-10mee (C5H2F10)		mg/kg	1	n.d.	-
HFC-125 (C2HF5)	 参考US EPA 5021A: 2014·以氣相層析儀/	mg/kg	1	n.d.	-
HFC-134 (C2H2F4)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
HFC-134a (CH2FCF3) (CAS No.: 811-	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
97-2)	GC/MS.)				
HFC-143 (C2H3F3)		mg/kg	1	n.d.	-
HFC-143a (C2H3F3)		mg/kg	1	n.d.	-
HFC-152a (C2H4F2) (CAS No.: 75-37-6)		mg/kg	1	n.d.	-
HFC-227ea (C3HF7) (CAS No.: 431-89-		mg/kg	1	n.d.	-
0)					



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 12 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HFC-236fa (CAS No.: 431-63-0)		mg/kg	1	n.d.	-
HFC-245ca (C3H3F5)		mg/kg	1	n.d.	-
HFC-245fa (C3H3F5)	┃ ・參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
HFC-365mfc (C4H5F5)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
HFC-236ea (C3H2F6) (CAS No.: 431-63-	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
0)	GC/MS.)				
HFC-236cb		mg/kg	1	n.d.	-
HFC-161		mg/kg	1	n.d.	-
HFC-152		mg/kg	1	n.d.	-
全氟化碳 (Perfluorocarbon) (PFCs)					
2-全氟甲基戊烷 (2-		mg/kg	1	n.d.	-
Perfluoromethylpentane) (CAS No.:					
355-04-4)					
十氟丁烷 (Decafluorobutane) (CAS No.:		mg/kg	1	n.d.	-
355-25-9)					
四氟甲烷 (F14) (CAS No.: 75-73-0)		mg/kg	1	n.d.	-
六氟乙烷 (Fluorocarbon 116) (CAS No.:		mg/kg	1	n.d.	=.
76-16-4)	参考US EPA 5021A: 2014 · 以氣相層析儀/				
八氟丙烷 (Freon 218) (CAS No.: 76-19-	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
7)	5021A: 2014, analysis was performed by				
八氟環丁烷 (Freon C318) (CAS No.: 115-	GC/MS.)	mg/kg	1	n.d.	-
25-3)					
全氟己烷 (Perfluorohexane) (CAS No.:		mg/kg	1	n.d.	-
355-42-0)					
全氟戊烷 (Perfluoro-n-pentane) (CAS		mg/kg	1	n.d.	-
No.: 678-26-2)					
全氟萘烷 (Perfluorodecalin) (CAS No.:		mg/kg	1	n.d.	-
306-94-5)					



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 13 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
氯碳氫化物 (Chlorinate hydrocarbon)					
(CHCs)					
1,1-二氯丙烯 (1,1-Dichloropropene)		mg/kg	1	n.d.	-
(CAS No.: 563-58-6)					
1,2-二氯乙烷 (1,2-Dichloroethane) (CAS		mg/kg	1	n.d.	-
No.: 107-06-2)					
2,2-二氯丙烷 (2,2-Dichloropropane)		mg/kg	1	n.d.	-
(CAS No.: 594-20-7)					
四氯甲烷 (四氯化碳) (Carbon		mg/kg	1	n.d.	-
tetrachloride) (CAS No.: 56-23-5)					
氯甲烷 (Chloromethane) (CAS No.: 74-		mg/kg	1	n.d.	-
87-3)					
順-1,2-二氯乙烯 (cis-1,2-		mg/kg	1	n.d.	-
Dichloroethene) (CAS No.: 156-59-2)					
順-1,3-二氯丙烯 (cis-1,3-	 参考US EPA 5021A: 2014·以氣相層析儀/	mg/kg	1	n.d.	-
Dichloropropene) (CAS No.: 10061-01-	質譜儀分析。(With reference to US EPA				
5)	5021A: 2014, analysis was performed by				
六氯-1,3-丁二烯 (Hexachlorobutadiene)	GC/MS.)	mg/kg	1	n.d.	-
(CAS No.: 87-68-3)	GC/1413.)				
反-1,2-二氯乙烯 (trans-1,2-		mg/kg	1	n.d.	-
Dichloroethene) (CAS No.: 156-60-5)					
反-1,3-二氯丙烯 (trans-1,3-		mg/kg	1	n.d.	-
Dichloropropene) (CAS No.: 10061-02-					
6)					
二氯甲烷 (Dichloromethane, Methylene		mg/kg	1	n.d.	-
chloride) (CAS No.: 75-09-2)					
1,2-二氯丙烷 (1,2-Dichloropropane)		mg/kg	1	n.d.	-
(CAS No.: 78-87-5)					
1,1,1,2-四氯乙烷 (1,1,1,2-		mg/kg	1	n.d.	-
Tetrachloroethane) (CAS No.: 630-20-					
6)					



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 14 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
1,1,1-三氯乙烷 (1,1,1-Trichloroethane)		mg/kg	1	n.d.	-
(CAS No.: 71-55-6)					
1,1,2-三氯乙烷 (1,1,2-Trichloroethane)		mg/kg	1	n.d.	-
(CAS No.: 79-00-5)					
1,1,2,2-四氯乙烷 (1,1,2,2-		mg/kg	1	n.d.	-
Tetrachloroethane) (CAS No.: 79-34-5)					
1,1-二氯乙烯 (1,1-Dichloroethylene)		mg/kg	1	n.d.	-
(CAS No.: 75-35-4)					
1,1-二氯乙烷 (1,1-Dichloroethane) (CAS	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
No.: 75-34-3)	質譜儀分析。(With reference to US EPA	4			
氯乙烷 (Chloroethane) (CAS No.: 75-00-	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
3) 四氯乙烯 (Tetrachloroethene) (CAS No.:	GC/MS.)	ma/ka	1	n.d.	_
四銀乙烯 (Tetrachioroetherie) (CAS No 127-18-4)		mg/kg	T	n.a.	-
三氯乙烯 (Trichloroethylene) (CAS No.:		mg/kg	1	n.d.	_
79-01-6)		mg/kg	1	11.0.	
1,3-二氯丙烷 (1,3-Dichloropropane)		mg/kg	1	n.d.	_
(CAS No.: 142-28-9)		9,9	_	16	
氯仿 (Chloroform) (CAS No.: 67-66-3)		mg/kg	1	n.d.	-
1,2,3-三氯丙烷 (1,2,3-Trichloropropane)		mg/kg	1	n.d.	_
(CAS No.: 96-18-4)		<i>J, J</i>			
溴氯甲烷 (Bromochloromethan) (CAS		mg/kg	1	n.d.	-
No.: 74-97-5)					
六氟化硫 (Sulfur hexafluoride) (CAS No.:		mg/kg	1	n.d.	-
2551-62-4)					
1-溴丙烷 (1-Bromopropane) (CAS No.:	 参考US EPA 5021A: 2014·以氣相層析儀/	mg/kg	1	n.d.	-
106-94-5)	質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)				
溴乙烷 (Bromoethane) (CAS No.: 74-96-		mg/kg	1	n.d.	-
4)		4			
三氟碘甲烷 (Trifluoroiodomethane)		mg/kg	1	n.d.	-
(CAS No.: 2314-97-8)		(1	1		
2-溴-3,3,3-三氟丙烯 (2-Bromo-3,3,3-		mg/kg	1	n.d.	-
trifluoroprop-1-ene) (CAS No.: 1514-					
82-5)					



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 15 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide (N-Me-FOSA)) (CAS No.: 31506-32-8)	参考CEN/TS 15968: 2010·以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE alcohol) (N-Ethyl- Perfluoroctanesulfonamidoethanol (N-Et-FOSE alcohol)) (CAS No.: 1691-99-2)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE alcohol) (N-Methyl-Perfluoroctanesulfonamidoethanol (N-Me-FOSE alcohol)) (CAS No.: 24448-09-7)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛基磺醯胺及其鹽類 (PFOSA and its salts) (Perfluoroctanesulfonamide and its salts (PFOSA and its salts)) (CAS No.: 754-91-6 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸及其鹽類 (PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335-67-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 16 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟辛酸甲酯 (Me-PFOA) (Methyl perfluorooctanoate (Me-PFOA)) (CAS No.: 376-27-2)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟辛酸乙酯 (Et-PFOA) (Ethyl perfluorooctanoate (Et-PFOA)) (CAS No.: 3108-24-5)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
3-全氟庚基丙酸 (7:3 FTCA) (3- Perfluoroheptyl propanoic acid (7:3 FTCA)) (CAS No.: 812-70-4)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟癸磺酸及其鹽類 (8:2 FTS and its salts) (1H,1H,2H,2H- Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts)) (CAS No.: 39108-34-4 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)) (CAS No.: 678-39-7)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀及液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS and LC/MS/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA) (1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)) (CAS No.: 27905-45- 9)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 17 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
1H,1H,2H,2H-全氟癸基甲基丙烯酸酯 (8:2	參考CEN/TS 15968: 2010 · 以氣相層析質	mg/kg	0.1	n.d.	-
FTMA) (1H,1H,2H,2H-Perfluorodecyl	譜儀分析。(With reference to CEN/TS				
methacrylate (8:2 FTMA)) (CAS No.:	15968: 2010, analysis was performed by				
1996-88-9)	GC/MS.)				
2H,2H-全氟癸酸及其鹽類 (H2PFDA and	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
its salts) (2H,2H-Perfluorodecane acid	聯質譜儀分析。(With reference to				
and its salts (H2PFDA and its salts))	CEN/TS 15968: 2010, analysis was				
(CAS No.: 27854-31-5 and its salts)	performed by LC/MS/MS.)				
1H,1H,2H,2H-全氟癸基碘 (8_2 FTI)	參考CEN/TS 15968: 2010 · 以氣相層析質	mg/kg	0.1	n.d.	- 7
(1H,1H,2H,2H-Perfluorodecyl iodide	譜儀分析。(With reference to CEN/TS				
(8_2 FTI)) (CAS No.: 2043-53-0)	15968: 2010, analysis was performed by				
	GC/MS.)				
1H,1H,2H,2H-全氟十七烷三甲基氧矽烷	參考CEN/TS 15968: 2010,以氣相層析質	mg/kg	0.1	n.d.	-
(8:2 FTSi(OC2H5)3) (1H,1H,2H,2H-	譜儀分析。(With reference to CEN/TS				
Perfluorodecyltriethoxysilane (8:2	15968: 2010, analysis was performed by				
FTSi(OC2H5)3)) (CAS No.: 101947-16-4)					
2H,2H,3H,3H-全氟癸酸及其鹽類	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(4HPFUnA and its salts) (2H,2H,3H,3H-	聯質譜儀分析。(With reference to				
Perfluoroundecanoic Acid and its salts	CEN/TS 15968: 2010, analysis was				
(4HPFUnA and its salts)) (CAS No.:	performed by LC/MS/MS.)				
34598-33-9 and its salts)					
1H,1H,2H-全氟-1-癸烯 (PFDE)	參考CEN/TS 15968: 2010 · 以氣相層析質	mg/kg	0.1	n.d.	-
(1H,1H,2H-Heptadecafluoro-1-decene	譜儀分析。(With reference to CEN/TS				
(PFDE)) (CAS No.: 21652-58-4)	15968: 2010, analysis was performed by				
	GC/MS.)				
雙(1H,1H,2H,2H-全氟癸基)磷酸酯及其鹽	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	- 7
類 (8_2diPAP and its salts)	聯質譜儀分析。(With reference to				
(Bis(1H,1H,2H,2H-	CEN/TS 15968: 2010, analysis was				
Perfluorodecyl)phosphate and its salts	performed by LC/MS/MS.)				
(8_2diPAP and its salts)) (CAS No.: 678-					
41-1 and its salts)					



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 18 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- '5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到/未檢出); Positive = Detectable 陽性(已偵測到/檢出)
- 7. 石綿定性分析試驗範圍: <0.1%~100%,石綿鑑定的判定基準是以檢出含有石綿纖維為『Positive』,未檢出石綿纖維為『Negative』。(Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".)
- 8. (#2) =
 - a. 當六價鉻結果大於 $0.13~\mu g/cm^2$ ·表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than $0.13~\mu g/cm^2$. The sample coating is considered to contain Cr(VI).)
 - b. 當六價鉻結果為n.d. (濃度小於 $0.10~\mu g/cm^2$),表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than $0.10~\mu g/cm^2$). The coating is considered a non-Cr(VI) based coating)
 - c. 當六價鉻結果介於 0.10 及 0.13 μg/cm² 時,無法確定塗層是否含有六價鉻。(The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.)
- 9. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 換算公式 (Conversion Formula): AX = A × F

AX	Α	F
氧化雙三丁基錫	三丁基錫 (Tributyl Tin) (TBT)	1.0276
(Bis(tributyltin)oxide) (TBTO)		

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

10. 除非另有說明·參照ILAC-G8:09/2019決定規則·採用簡單允收規則之二分法(w=0)進行符合性判定;根據此規則·符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 19 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
	全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
PFOS, 及其鹽&衍生物	全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) $_4$) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C_2H_5) $_4$)	56773-42-3
(PFOS, its salts & derivatives)	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺酸四丁基銨 (PFOS-N(C_4H_9) $_4$) TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C_4H_9) $_4$)	111873-33-7
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 20 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion)	45298-90-6
	全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-N(C_2H_5) ₃) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C_2H_5) ₃)	54439-46-2
	N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲銨(1:1) (PFOS-N(CH ₃) ₄) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(CH ₃) ₄)	56773-44-5
PFOS, 及其鹽&衍生物	1 -五胺·N,N,N-三丙基-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸鹽(1:1) (PFOS-N(C_3H_7) $_3$ (C_5H_{11})) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_3H_7) $_3$ (C_5H_{11}))	56773-56-9
(PFOS, its salts & derivatives)	1-丁銨·N,N-二丁基-N-甲基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- 十七氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃))	124472-68-0
	碘鎓・雙[4-(1,1-二甲基乙基)苯基]-・1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- 十七氟-1-辛烷磺酸鹽 (1:1) lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	二苯基鍺(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟- 1-辛烷磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	吡啶鎓·1-十六烷基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1- 辛烷磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 21 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	1-癸胺·N,N,N-三乙基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛 烷磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4
	全氟辛烷磺酸四丁基鏻 (PFOS-P(C_4H_9) $_4$)) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C_4H_9) $_4$))	2185049-59-4
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸二乙胺鹽 (PFOS-C ₄ H ₁₁ N) Perfluorooctanesulfonic acid diethylamine salt (PFOS-C ₄ H ₁₁ N)	2205029-08-7
(FTO3, its saits & derivatives)	庚基二甲基 $\{2-[(2-甲基丙-2-烯酰基)氧基]乙基\}$ 全氟辛烷磺酸氮紮鹽 (PFOS- $C_{15}H_{30}NO_2$) Heptyldimethyl $\{2-[(2-methylprop-2-enoyl)oxy]ethyl\}$ azanium perfluorooctanesulfonate (PFOS- $C_{15}H_{30}NO_2$)	1203998-97-3
	1-辛烷磺酸·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1'-酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	全氟辛基磺醯胺 (Perfluoroctanesulfonamide) (PFOSA)	754-91-6
	全氟辛基磺醯胺鋰鹽 (1:1) (PFOSA-Li) Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
	全氟辛基磺醯胺鈉鹽 (1:1) (PFOSA-Na) Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
PFOSA, 及其鹽 (PFOSA, its salts)	全氟辛基磺醯胺鉀鹽 (1:1) (PFOSA-K) Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
	全氟辛基磺醯胺銨鹽 (1:1) (PFOSA-NH ₄) Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH ₄)	76752-72-2
	全氟辛基磺醯胺三乙胺的化合物(1:1) (PFOSA-C ₆ H ₁₅ N) heptadecafluorooctane-1-sulphonamide, compound with triethylamine(1:1) (PFOSA-C ₆ H ₁₅ N)	76752-82-4
	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 22 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	全氟辛酸鉻 (PFOA-Cr(3^+)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium($3+$) (PFOA-Cr(3^+))	68141-02-6
	全氟辛酸-哌嗪(2:1) PFOA-NH($C_4H_{10}N$) Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
PFOA, 及其鹽&衍生物	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6
(PFOA, its salts & derivatives)	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9
	乙銨·N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-丙銨·N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	辛酸 · 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽 · 水合物 (1:1:2) (PFOA-K(H ₂ O) ₂) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H ₂ O) ₂)	98065-31-7



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 23 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
	辛酸 · 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟- · 化合物。與乙胺 (1:1) (PFOA-C ₂ H ₇ N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C ₂ H ₇ N)	1376936-03-6
PFOA, 及其鹽&衍生物	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA- C_5H_5N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- C_5H_5N)	95658-47-2
(PFOA, its salts & derivatives)	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA- $C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$)	1514-68-7
	1-辛胺·N,N,N-三甲基··2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) (PFOA- C ₁₁ H ₂₆ N) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C ₁₁ H ₂₆ N)	927835-01-6
	1H,1H,2H,2H-全氟癸磺酸 (1H,1H,2H,2H- Perfluorodecanesulfonic acid) (8:2 FTS)	39108-34-4
	1H, 1H, 2H, 2H-全氟癸磺酸鉀 (8:2 FTS-K) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Potassium salt (8:2 FTS-K)	438237-73-1
8:2 FTS, 及其鹽 (8:2 FTS, its salts)	1H, 1H, 2H, 2H-全氟癸磺酸銨 (8:2 FTS-NH ₄) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Ammonium salt (8:2 FTS-NH ₄)	149724-40-3
	1H, 1H, 2H, 2H-全氟癸磺酸鈉 (8:2 FTS-Na) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Sodium salt (8:2 FTS-Na)	27619-96-1
	1H,1H,2H,2H-全氟癸磺酸鹽 (8:2 FTS(anion)) 8: 2 Fluorotelomer sulfonate (anion) (8:2 FTS(anion))	481071-78-7
	2H,2H-全氟癸酸 (2H,2H-Perfluorodecane acid) (H2PFDA)	27854-31-5
H2PFDA, 及其鹽 (H2PFDA, its salts)	四丁基磷2H,2H-全氟癸酸酯 Tetrabutylphosphonium 2H,2H-Perfluorodecanoate	882489-14-7
4HPFUnA, 及其鹽 (4HPFUnA, its salts)	2H,2H,3H,3H-全氟癸酸 (2H,2H,3H,3H-Perfluoroundecanoic Acid) (4HPFUnA)	34598-33-9
	2H,2H,3H,3H-全氟癸酸鉀 (H4PFUnA-K) Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K)	83310-58-1
	2H,2H,3H,3H-全氟癸酸鋰 (H4PFUnA-Li) Lithium 3-(perfluorooctyl)propanoate (H4PFUnA-Li)	67304-23-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 24 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	雙(1H,1H,2H,2H-全氟癸基)磷酸酯 (Bis(1H,1H,2H,2H- Perfluorodecyl)phosphate) (8:2diPAP)	678-41-1
	雙(1H,1H,2H,2H-全氟癸基)磷酸酯鈉 (8:2diPAP-Na) Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6
8:2diPAP, 及其鹽 (8:2diPAP, its salts)	雙(2-羥乙基)雙((全氟辛基)乙基)磷酸氫銨 Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate	57677-97-1
	雙[2-(全氟辛基)乙基]磷酸銨鹽 (8:2diPAP-NH ₄) Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt (8:2diPAP-NH ₄)	93776-20-6
	8:2 氟調聚物磷酸二酯離子 8:2 Fluorotelomer phosphate diester ion	1411713-91-1



Test Report


號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 25 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 26 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 27 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 28 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 29 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

鹵素分析流程圖 / Analytical flow chart - Halogen





Test Report


號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 30 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 31 of 38

UMICORE THIN FILM PRODUCTS AG. ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

有機錫分析流程圖 / Analytical flow chart - Organic-Tin






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 32 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 33 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

石綿鑑定分析流程圖 / Analysis flow chart for determination of Asbestos 【參考方法(Reference method): EPA 600/R-93/116】





Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 34 of 38


UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.




Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 35 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 36 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

揮發性有機化合物分析流程圖/ Analytical flow chart of volatile organic compounds (VOCs)

【参考方法/ Reference method: US EPA 5021A】






Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 37 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR25101070 日期(Date): 17-Jan-2025 頁數(Page): 38 of 38

UMICORE THIN FILM PRODUCTS AG.
ALTE LANDSTRASSE 8, P.O. BOX 364, FL-9496 BALZERS

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR25101070



** 報告結尾 (End of Report) **