

Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 1 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : MITSUBISHI MATERIALS CORPORATION

樣品名稱(Sample Name) : SULA LIQUID

樣品型號(Style/Item No.) : SULA LIQUID-TS-TIN15, TS-TIN17,TS-TIN20

收件日(Sample Receiving Date)

: 02-Jan-2025

測試期間(Testing Period)

: 02-Jan-2025 to 13-Jan-2025

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測 試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).) 請參閱下一頁 (Please refer to following pages.)

測試結果(Test Results)

結 論(Conclusion) :

(1) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted

2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU)

2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Malager Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 308F9EF0



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 2 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

測試部位敘述 (Test Part Description)

No.1 : 透明液體 (TRANSPARENT LIQUID)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017	mg/kg	2	n.d.	1000
	以感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
	OES.)				
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017 · 以紫外光-可見	mg/kg	8	n.d.	1000
Cr(VI))	光分光光度計分析。(With reference to				
	IEC 62321-7-2: 2017, analysis was				
	performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	=
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	=
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)	 参考IEC 62321-6: 2015・以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)	普儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)	高級力が。(With reference to fee 62321- - 6: 2015, analysis was performed by - GC/MS.)	mg/kg	5	n.d.	=
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 3 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	_
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	_
四溴聯苯醚 (Tetrabromodiphenyl ether)	 參考IEC 62321-6: 2015 · 以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	iii 儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	_
七溴聯苯醚 (Heptabromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	_
八溴聯苯醚 (Octabromodiphenyl ether)	GC/1V13.)	mg/kg	5	n.d.	_
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	ı	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP))					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	1000
phthalate (DBP))	譜儀分析。(With reference to IEC 62321-				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-	8: 2017, analysis was performed by	mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))	GC/MS.)				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	1000
phthalate (DIBP))					
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	n.d.	-
8)					
氯 (CI) (Chlorine (CI)) (CAS No.: 22537-	參考BS EN 14582: 2016 · 以離子層析儀分	mg/kg	50	n.d.	-
15-1)	析。(With reference to BS EN 14582:				
溴 (Br) (Bromine (Br)) (CAS No.: 10097-	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
32-2)					
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	_
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	参考US EPA 3052: 1996·以感應耦合電漿	mg/kg	2	n.d.	-
41-7)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 4 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合電漿	mg/kg	2	n.d.	-
36-0)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				
全氟辛烷磺酸及其鹽類 (PFOS and its	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	=
salts) (Perfluorooctane sulfonates and	聯質譜儀分析。(With reference to				
its salts (PFOS and its salts)) (CAS No.:	CEN/TS 15968: 2010, analysis was				
1763-23-1 and its salts)	performed by LC/MS/MS.)				
N-乙基全氟正辛磺醯胺 (EtFOSA) (N-	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	=
ethylperfluoro-1-octanesulfonamide	聯質譜儀分析。(With reference to				
(EtFOSA)) (CAS No.: 4151-50-2)	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
N-甲基全氟正辛磺醯胺 (N-Me-FOSA)	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(N-Methyl-Perfluoroctanesulfonamide	聯質譜儀分析。(With reference to				
(N-Me-FOSA)) (CAS No.: 31506-32-8)	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	=
alcohol) (N-Ethyl-	聯質譜儀分析。(With reference to				
Perfluoroctanesulfonamidoethanol (N-	CEN/TS 15968: 2010, analysis was				
Et-FOSE alcohol)) (CAS No.: 1691-99-2)	performed by LC/MS/MS.)				
N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	=
alcohol) (N-Methyl-	聯質譜儀分析。(With reference to				
Perfluoroctanesulfonamidoethanol (N-	CEN/TS 15968: 2010, analysis was				
Me-FOSE alcohol)) (CAS No.: 24448-	performed by LC/MS/MS.)				
09-7)					
全氟辛基磺醯胺及其鹽類 (PFOSA and its	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
salts) (Perfluoroctanesulfonamide and	聯質譜儀分析。(With reference to				
its salts (PFOSA and its salts)) (CAS No.:	CEN/TS 15968: 2010, analysis was				
754-91-6 and its salts)	performed by LC/MS/MS.)				
全氟辛酸及其鹽類 (PFOA and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorooctanoic acid and its salts	聯質譜儀分析。(With reference to				
(PFOA and its salts)) (CAS No.: 335-67-1	CEN/TS 15968: 2010, analysis was				
and its salts)	performed by LC/MS/MS.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 5 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟辛酸甲酯 (Me-PFOA) (Methyl perfluorooctanoate (Me-PFOA)) (CAS No.: 376-27-2)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟辛酸乙酯 (Et-PFOA) (Ethyl perfluorooctanoate (Et-PFOA)) (CAS No.: 3108-24-5)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
3-全氟庚基丙酸 (7:3 FTCA) (3- Perfluoroheptyl propanoic acid (7:3 FTCA)) (CAS No.: 812-70-4)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟癸磺酸及其鹽類 (8:2 FTS and its salts) (1H,1H,2H,2H- Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts)) (CAS No.: 39108-34-4 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)) (CAS No.: 678-39-7)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀及液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS and LC/MS/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA) (1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)) (CAS No.: 27905-45- 9)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 6 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
1H,1H,2H,2H-全氟癸基甲基丙烯酸酯 (8:2 FTMA) (1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)) (CAS No.: 1996-88-9)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
2H,2H-全氟癸酸及其鹽類 (H2PFDA and its salts) (2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts)) (CAS No.: 27854-31-5 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟癸基碘 (8_2 FTI) (1H,1H,2H,2H-Perfluorodecyl iodide (8_2 FTI)) (CAS No.: 2043-53-0)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟十七烷三甲基氧矽烷 (8:2 FTSi(OC2H5)3) (1H,1H,2H,2H- Perfluorodecyltriethoxysilane (8:2 FTSi(OC2H5)3)) (CAS No.: 101947-16-4)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
2H,2H,3H,3H-全氟癸酸及其鹽類 (4HPFUnA and its salts) (2H,2H,3H,3H- Perfluoroundecanoic Acid and its salts (4HPFUnA and its salts)) (CAS No.: 34598-33-9 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H-全氟-1-癸烯 (PFDE) (1H,1H,2H-Heptadecafluoro-1-decene (PFDE)) (CAS No.: 21652-58-4)	參考CEN/TS 15968: 2010 · 以氣相層析質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
雙(1H,1H,2H,2H-全氟癸基)磷酸酯及其鹽類 (8_2diPAP and its salts) (Bis(1H,1H,2H,2H- Perfluorodecyl)phosphate and its salts (8_2diPAP and its salts)) (CAS No.: 678- 41-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 7 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 除非另有說明,參照ILAC-G8:09/2019決定規則,採用簡單允收規則之二分法(w=0)進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 8 of 20

MITSUBISHI MATERIALS CORPORATION
12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
	全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K)	2795-39-3
	Potassium perfluorooctanesulfonate (PFOS-K)	
	全氟辛基磺酸鋰 (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	
	全氟辛基磺酸銨 (PFOS-NH ₄)	29081-56-9
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	
	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctane sulfonate diethanolamine salt (PFOS-	
	NH(OH)₂)	
	全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄)	56773-42-3
DEOC 77 ++ 55 0.75 ++ 4m	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-	
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	$N(C_2H_5)_4)$	
(FI O3, its saits & delivatives)	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA)	251099-16-8
	N-decyl-N,N-dimethyldecan-1-aminium	
	1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-	
	sulfonate (PFOS-DDA)	
	全氟辛基磺酸四丁基銨 (PFOS-N(C_4H_9) ₄)	111873-33-7
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C ₄ H ₉) ₄)	
	全氟辛基磺醯氟 (POSF)	307-35-7
	Perfluorooctane sulfonyl fluoride (POSF)	
	全氟辛基磺酸鎂 (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	
	全氟辛基磺酸鈉 (PFOS-Na)	4021-47-0
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 9 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion)	45298-90-6
	全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-N(C_2H_5) ₃) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C_2H_5) ₃)	54439-46-2
	N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲銨(1:1) (PFOS-N(CH ₃) ₄) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(CH ₃) ₄)	56773-44-5
PFOS, 及其鹽&衍生物	1 -五胺·N,N,N-三丙基-, 1 ,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) (PFOS-N(C_3H_7) $_3$ (C_5H_{11})) 1 -Pentanaminium, N,N,N-tripropyl-, 1 ,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_3H_7) $_3$ (C_5H_{11}))	56773-56-9
(PFOS, its salts & derivatives)	1-丁銨·N,N-二丁基-N-甲基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- 十七氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃))	124472-68-0
	碘鎓·雙[4-(1,1-二甲基乙基)苯基]-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- 十七氟-1-辛烷磺酸鹽 (1:1) lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	二苯基鍺(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟- 1-辛烷磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	吡啶鎓 · 1-十六烷基- · 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 - 辛烷磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 10 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	1-癸胺·N,N,N-三乙基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛 烷磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4
	全氟辛烷磺酸四丁基鏻 (PFOS-P(C_4H_9) $_4$)) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C_4H_9) $_4$))	2185049-59-4
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸二乙胺鹽 (PFOS-C ₄ H ₁₁ N) Perfluorooctanesulfonic acid diethylamine salt (PFOS-C ₄ H ₁₁ N)	2205029-08-7
(11 Os, its saits & delivatives)	庚基二甲基 $\{2-[(2-甲基丙-2-烯酰基)氧基]乙基\}$ 全氟辛烷磺酸氮紮鹽 (PFOS- $C_{15}H_{30}NO_2$) Heptyldimethyl $\{2-[(2-methylprop-2-enoyl)oxy]ethyl\}$ azanium perfluorooctanesulfonate (PFOS- $C_{15}H_{30}NO_2$)	1203998-97-3
	1-辛烷磺酸·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1'-酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	全氟辛基磺醯胺 (Perfluoroctanesulfonamide) (PFOSA)	754-91-6
	全氟辛基磺醯胺鋰鹽 (1:1) (PFOSA-Li) Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
	全氟辛基磺醯胺鈉鹽 (1:1) (PFOSA-Na) Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
PFOSA, 及其鹽 (PFOSA, its salts)	全氟辛基磺醯胺鉀鹽 (1:1) (PFOSA-K) Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
	全氟辛基磺醯胺銨鹽 (1:1) (PFOSA-NH ₄) Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH ₄)	76752-72-2
	全氟辛基磺醯胺三乙胺的化合物(1:1) (PFOSA-C ₆ H ₁₅ N) heptadecafluorooctane-1-sulphonamide, compound with triethylamine(1:1) (PFOSA-C ₆ H ₁₅ N)	76752-82-4
	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 11 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	全氟辛酸鉻 (PFOA-Cr(3 $^+$)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3 $^+$))	68141-02-6
	全氟辛酸-哌嗪(2:1) PFOA-NH($C_4H_{10}N$) Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
PFOA, 及其鹽&衍生物	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6
(PFOA, its salts & derivatives)	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9
	乙銨·N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-丙銨·N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	辛酸 · 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽 · 水合物 (1:1:2) (PFOA-K(H ₂ O) ₂) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H ₂ O) ₂)	98065-31-7



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 12 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	辛酸·2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-·化合物。與乙胺 (1:1) (PFOA-C ₂ H ₇ N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C ₂ H ₇ N)	1376936-03-6
PFOA, 及其鹽&衍生物	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA-C ₅ H ₅ N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA-C ₅ H ₅ N)	95658-47-2
(PFOA, its salts & derivatives)	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA- $C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$)	1514-68-7
	1-辛胺·N,N,N-三甲基··2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) (PFOA- C ₁₁ H ₂₆ N) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C ₁₁ H ₂₆ N)	927835-01-6
	1H,1H,2H,2H-全氟癸磺酸 (1H,1H,2H,2H- Perfluorodecanesulfonic acid) (8:2 FTS)	39108-34-4
	1H, 1H, 2H, 2H-全氟癸磺酸鉀 (8:2 FTS-K) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Potassium salt (8:2 FTS-K)	438237-73-1
8:2 FTS, 及其鹽 (8:2 FTS, its salts)	1H, 1H, 2H, 2H-全氟癸磺酸銨 (8:2 FTS-NH ₄) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Ammonium salt (8:2 FTS-NH ₄)	149724-40-3
	1H, 1H, 2H, 2H-全氟癸磺酸鈉 (8:2 FTS-Na) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Sodium salt (8:2 FTS-Na)	27619-96-1
	1H,1H,2H,2H-全氟癸磺酸鹽 (8:2 FTS(anion)) 8: 2 Fluorotelomer sulfonate (anion) (8:2 FTS(anion))	481071-78-7
	2H,2H-全氟癸酸 (2H,2H-Perfluorodecane acid) (H2PFDA)	27854-31-5
H2PFDA, 及其鹽 (H2PFDA, its salts)	四丁基磷2H,2H-全氟癸酸酯 Tetrabutylphosphonium 2H,2H-Perfluorodecanoate	882489-14-7
	2H,2H,3H,3H-全氟癸酸 (2H,2H,3H,3H-Perfluoroundecanoic Acid) (4HPFUnA)	34598-33-9
4HPFUnA, 及其鹽 (4HPFUnA, its salts)	2H,2H,3H,3H-全氟癸酸鉀 (H4PFUnA-K) Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K)	83310-58-1
	2H,2H,3H,3H-全氟癸酸鋰 (H4PFUnA-Li) Lithium 3-(perfluorooctyl)propanoate (H4PFUnA-Li)	67304-23-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 13 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	雙(1H,1H,2H,2H-全氟癸基)磷酸酯 (Bis(1H,1H,2H,2H- Perfluorodecyl)phosphate) (8:2diPAP)	678-41-1
	雙(1H,1H,2H,2H-全氟癸基)磷酸酯鈉 (8:2diPAP-Na) Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6
8:2diPAP, 及其鹽 (8:2diPAP, its salts)	雙(2-羥乙基)雙((全氟辛基)乙基)磷酸氫銨 Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate	57677-97-1
	雙[2-(全氟辛基)乙基]磷酸銨鹽 (8:2diPAP-NH ₄) Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt (8:2diPAP-NH ₄)	93776-20-6
	8:2 氟調聚物磷酸二酯離子 8:2 Fluorotelomer phosphate diester ion	1411713-91-1



Test Report


號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 14 of 20

MITSUBISHI MATERIALS CORPORATION
12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 15 of 20




Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 16 of 20




Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 17 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

鹵素分析流程圖 / Analytical flow chart - Halogen





Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025

頁數(Page): 18 of 20


MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.




Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025 頁數(Page): 19 of 20

MITSUBISHI MATERIALS CORPORATION 12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR25100831 日期(Date): 15-Jan-2025

MITSUBISHI MATERIALS CORPORATION
12-6, TECHNO-PARK, SANDA, HYOGO 669 -1339, JAPAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR25100831



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 20 of 20