

**Test Report** 

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024 頁數(Page): 1 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : 台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN

LTD.)

樣品名稱(Sample Name) : MICROFAB CU MSA 100 MU, MICROFAB CU MSA 100 R,

MICROFAB CU MSA 200 MU, MICROFAB CU MSA 200 R, MICROFAB NF ACID, MICROFAB SC COPPER SULFATE

\_\_\_\_\_\_

收件日(Sample Receiving Date) : 09-Sep-2024

測試期間(Testing Period) : 09-Sep-2024 to 18-Sep-2024

測試需求(Test Requested) : 依據客戶要求進行測試,測試項目請參閱測試結果表格。 (Testing item(s) is/are

specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Manager Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei





## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024 頁數(Page): 2 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

#### 測試部位敘述 (Test Part Description)

No.1 : 藍色液體(客戶自行調配之樣品) (BLUE LIQUID (SAMPLE IS BLENDED BY CLIENT))

#### 測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017 · 以 感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI))	參考IEC 62321-7-2: 2017·以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	参考IEC 62321-6: 2015 · 以氣相層析儀/質譜	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	儀分析。(With reference to IEC 62321-6:	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)	<b>」</b>	mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)	-	mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024 頁數(Page): 3 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result) No.1
		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 62321-6: 2015・以氣相層析儀/質譜	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	儀分析。(With reference to IEC 62321-6:	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.
phthalate (BBP))				
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))	参考IEC 62321-8: 2017 · 以氣相層析儀/質譜	mg/kg	50	n.d.
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)	儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024

頁數(Page): 4 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016,	mg/kg	50	n.d.
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)	analysis was performed by IC.)	mg/kg	50	n.d.
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	修改EN 17681-1: 2022 & EN 17681-2: 2022 ·以液相層析串聯質譜儀分析。(Modified	mg/kg	0.01	n.d.
全氟辛酸及其鹽類 (PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335-67-1 and its salts)	EN 17681-1: 2022 & EN 17681-2: 2022, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0)	參考US EPA 3052: 1996·以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3052: 1996 · 以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2021 · 以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.)	**	-	Negative



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024

頁數(Page): 5 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到/未檢出); Positive = Detectable 陽性(已偵測到/檢出)



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024 頁數(Page): 6 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.)
新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

#### PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。) (The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
	全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K)	2795-39-3
	Potassium perfluorooctanesulfonate (PFOS-K)	
	全氟辛基磺酸鋰 (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	
	全氟辛基磺酸銨 (PFOS-NH <sub>4</sub> )	29081-56-9
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> )	
	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) <sub>2</sub> )	70225-14-8
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) <sub>2</sub> )	
	全氟辛基磺酸四乙基銨 (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )	56773-42-3
	Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-	
PFOS, 及其鹽&衍生物	$N(C_2H_5)_4)$	
(PFOS, its salts & derivatives)	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA)	251099-16-8
	N-decyl-N,N-dimethyldecan-1-aminium	
	1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	
	全氟辛基磺酸四丁基銨 (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	111873-33-7
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	1110/3-33-/
	全氟辛基磺醯氟 (POSF)	307-35-7
	Perfluorooctane sulfonyl fluoride (POSF)	
	全氟辛基磺酸鎂 (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	
	全氟辛基磺酸鈉 (PFOS-Na)	4021-47-0
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024 頁數(Page): 7 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion)	45298-90-6
	全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-N( $C_2H_5$ ) <sub>3</sub> ) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N( $C_2H_5$ ) <sub>3</sub> )	54439-46-2
	N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲銨 (1:1) (PFOS-N(CH <sub>3</sub> ) <sub>4</sub> ) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(CH <sub>3</sub> ) <sub>4</sub> )	56773-44-5
	$1$ -五胺·N,N,N-三丙基-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) (PFOS-N( $C_3H_7$ ) $_3$ ( $C_5H_{11}$ )) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N( $C_3H_7$ ) $_3$ ( $C_5H_{11}$ ))	56773-56-9
	1-丁銨·N,N-二丁基-N-甲基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七 氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> (CH <sub>3</sub> )) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> (CH <sub>3</sub> ))	124472-68-0
	碘鎓·雙[4-(1,1-二甲基乙基)苯基]-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七 氟-1-辛烷磺酸鹽 (1:1) lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	二苯基鍺(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟- 1-辛烷 磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	吡啶鎓 · 1-十六烷基- · 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷 磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4
	1-癸胺·N,N,N-三乙基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024 頁數(Page): 8 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸四丁基鏻 (PFOS-P( $C_4H_9$ ) <sub>4</sub> )) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P( $C_4H_9$ ) <sub>4</sub> ))	2185049-59-4
	全氟辛烷磺酸二乙胺鹽 (PFOS- $C_4H_{11}N$ ) Perfluorooctanesulfonic acid diethylamine salt (PFOS- $C_4H_{11}N$ )	2205029-08-7
	庚基二甲基 $\{2-[(2-甲基丙-2-烯酰基)氧基]$ 乙基 $\}$ 全氟辛烷磺酸氮紮鹽 (PFOS- $C_{15}H_{30}NO_2$ ) Heptyldimethyl $\{2-[(2-methylprop-2-enoyl)oxy]$ ethyl $\}$ azanium perfluorooctanesulfonate (PFOS- $C_{15}H_{30}NO_2$ )	1203998-97-3
	1-辛烷磺酸·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1'-酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	全氟辛酸鉻 (PFOA-Cr( $3^+$ )) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium( $3+$ ) (PFOA-Cr( $3^+$ ))	68141-02-6
	全氟辛酸-哌嗪(2:1) PFOA-NH( $C_4H_{10}N$ ) Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH( $C_4H_{10}N$ )	423-52-9
	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024 頁數(Page): 9 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9
	乙銨·N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-丙銨·N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanoate (1:1)	277749-00-5
	辛酸・2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽‧水合物 (1:1:2) (PFOA-K(H <sub>2</sub> O) <sub>2</sub> ) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H <sub>2</sub> O) <sub>2</sub> )	98065-31-7
	辛酸·2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-·化合物。與乙胺 (1:1) (PFOA-C <sub>2</sub> H <sub>7</sub> N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C <sub>2</sub> H <sub>7</sub> N)	1376936-03-6
	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA- $C_5H_5N$ ) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- $C_5H_5N$ )	95658-47-2
	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA- $C_{10}H_{14}N_2$ ) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$ )	1514-68-7
	1-辛胺·N,N,N-三甲基··2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) (PFOA- C <sub>11</sub> H <sub>26</sub> N) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C <sub>11</sub> H <sub>26</sub> N)	927835-01-6



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024


頁數(Page): 10 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

#### 重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)






# **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 11 of 17



## **Test Report**

號碼(No.): ETR24901180 日期(Date): 3


日期(Date): 18-Sep-2024

頁數(Page): 12 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024 頁數(Page): 13 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

#### 鹵素分析流程圖 / Analytical flow chart - Halogen





# **Test Report**


號碼(No.): ETR24901180 日期(Date): 18-Sep-2024

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.)

頁數(Page): 14 of 17

新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





# **Test Report**

號碼(No.): ETR24901180 日

日期(Date): 18-Sep-2024

頁數(Page): 15 of 17


台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

#### 元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



\* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



## **Test Report**


號碼(No.): ETR24901180

日期(Date): 18-Sep-2024

頁數(Page): 16 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

#### 聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC





## **Test Report**

號碼(No.): ETR24901180 日期(Date): 18-Sep-2024

頁數(Page): 17 of 17

台灣麥德美股份有限公司 (MACDERMID PERFORMANCE SOLUTIONS TAIWAN LTD.) 新竹縣湖口鄉光復北路77號 (77 KUANG FU N. RD, HSIN-CHU ENLARGED INDUSTRIAL PARK, HSIN-CHU TAIWAN)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### ETR24901180



\*\* 報告結尾 (End of Report) \*\*