



Test Report No. 6592648-04 Date: 30/MAY/2023 Page 1 of 3

Globalfoundries Dresden Module One LLC & Co. KG Ms. Hermanns Wilschdorfer Landstrasse 101 01109 Dresden GERMANY

The following sample(s) was/were submitted and identified by/on behalf of the client as:

SGS Job file : 6592648 Order date : 26/APR/2023

Order number : 813003908740 from 09/JAN/2023

Sample receiving date : 02/MAY/2023

Sampling : by client or by a third party acting at the client's direction

Condition of the samples appropriate for testing

Testing period : 02/MAY/2023 - 30/MAY/2023 Analytical scope : according to client's requirements

Sample No. Sample designation Sample material

230168262 Fab 1 300mm die patterned wafer, Tech Node 40nm Wafer

Applied analytical technique

Test Method Analysis according to BS EN 14582:2016, ion chromatography

(cooperation with SGS Asia)

Test Results: please refer to next page(s).

SGS INSTITUT FRESENIUS GmbH

Wera Leonhard Project Manager Connectivity & Products

i.V.

Tel. +49 (0)6128 / 744 - 186

Sabrina Baldauf Team Assistant Connectivity & Pro-

Connectivity & Products Tel. +49 (0)6128 / 744 - 597

https://sgs.sharepoint.com/sites/de-cp-hamfiles/G/Globalfoundries_10074122/2023/6592648/6592648-04_Halogene_gener_Asien.doc

SGS INSTITUT FRESENIUS GmbH | Im Maisel 14 D-65232 Taunusstein t+49 6128 744 - 0 f+49 6128 744 - 130 www.sgs-institut-fresenius.de

Member of the SGS Group





Test Report

No. 6592648-04 Date: 30/MAY/2023 Page 2 of 3

Globalfoundries Dresden Module One LLC & Co. KG Wilschdorfer Landstrasse 101 01109 Dresden GERMANY

Test results

Test Item(s):	Results Sample 230438044	RL
Fluorine (F)	n.d.	50
Chlorine (CI)	n.d.	50
Bromine (Br)	n.d.	50
lodine (I)	n.d.	50

Note: mg/kg = ppm


n.d.= not detected

RL = Report Limit

n.a.= not analyzed

(**)=elevated reporting limit due to sample matrix

Flow Chart for the working flow of the analysis: Halogenes







Test Report

No. 6592648-04 Date: 30/MAY/2023 Page 3 of 3

Globalfoundries Dresden Module One LLC & Co. KG Wilschdorfer Landstrasse 101 01109 Dresden GERMANY

Sample Photo(s)





End of Report

The test results refer exclusively to the examined test items and the date of the test under the test specifications. Written acknowledgement for publication and duplication of our analytical reports for promotional purpose, as well as fractional use for other purposes are mandatory. Numbers following "<" represent limits of quantification. Determination of parameters marked with * was performed with a cooperation partner.

This document is issued by the Company subject to its General Conditions of Service (www.sgsgroup.de/agb). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note: The sample(s) to which the findings recorded herein (the "findings") relate was (were) probably drawn and / or provided by the client or by a third party acting at the client's direction. In this case the findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

We would like to point out that measurement uncertainties are not taken into account for conclusions. On request, we can provide measurement uncertainties and take them into account for conclusions upon consultation.