

Test Report No.: CV/2018/40093 Page: 1 of 11 Date: 2018/04/20

NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



The following samples was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : NGK SPARK PLUG CO., LTD.

Sample Description : ELECTROLYTIC GOLD PLATING FILM

Style/Item No. : MADE FROM NTK SOLUTION

Sample Receiving Date : 2018/04/13

Testing Period : 2018/04/13 TO 2018/04/20

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

: Please refer to following pages. Test Result(s)

Conclusion (1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead,

Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by

RoHS and amending Directive (EU) 2015/863.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report No.: CV/2018/40093 Page: 2 of 11 Date: 2018/04/20

NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



Test Result(s)

PART NAME No.1 : GOLDEN COLORED SHEET

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 (2013) and	2	n.d.	100
Lead (Pb)	mg/kg	performed by ICP-AES.	2	n.d.	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)(#2)	μg/cm²	With reference to IEC 62321-7-1 (2015) and performed by UV-VIS.	0.10	n.d.	-
Hexavalent Chromium Cr(VI)	mg/kg	With reference to BS EN ISO 3613 (2010). Analysis was performed by UV-VIS Spectrometry.	- (See Note 6)	n.d.	1000
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg		5	n.d.	-
Dibromobiphenyl	mg/kg		5	n.d.	-
Tribromobiphenyl	mg/kg		5	n.d.	-
Tetrabromobiphenyl	mg/kg		5	n.d.	-
Pentabromobiphenyl	mg/kg		5	n.d.	-
Hexabromobiphenyl	mg/kg	1		n.d.	-
Heptabromobiphenyl	mg/kg		5	n.d.	-
Octabromobiphenyl	mg/kg		5	n.d.	_
Nonabromobiphenyl	mg/kg		5	n.d.	-
Decabromobiphenyl	mg/kg	With reference to IEC 62321-6 (2015) and	5	n.d.	-
Sum of PBDEs	mg/kg	performed by GC/MS.	-	n.d.	1000
Monobromodiphenyl ether	mg/kg		5	n.d.	-
Dibromodiphenyl ether	mg/kg		5	n.d.	-
Tribromodiphenyl ether	mg/kg		5	n.d.	-
Tetrabromodiphenyl ether	mg/kg		5	n.d.	_
Pentabromodiphenyl ether	mg/kg		5	n.d.	-
Hexabromodiphenyl ether	mg/kg		5	n.d.	-
Heptabromodiphenyl ether	mg/kg		5	n.d.	-
Octabromodiphenyl ether	mg/kg		5	n.d.	-
Nonabromodiphenyl ether	mg/kg		5	n.d.	-
Decabromodiphenyl ether	mg/kg		5	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



Test Report No.: CV/2018/40093 Page: 3 of 11 Date: 2018/04/20

NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.	-
Beryllium (Be)	mg/kg	With reference to US EPA 3050B (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Arsenic (As)	mg/kg	With reference to US EPA 3050B (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Phosphorus (P)	mg/kg	With reference to US EPA 3050B (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Antimony (Sb)	mg/kg	With reference to US EPA 3050B (1996). Analysis was performed by ICP-AES.	2	n.d.	-
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-lodine (I) (CAS No.: 14362-44-8)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-



Test Report No.: CV/2018/40093 Page: 4 of 11 Date: 2018/04/20

NGK SPARK PLUG CO., LTD. 2808. IWASAKI. KOMAKI-SHI. AICHI. JAPAN. <485-8510>



Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected = less than MDL
- 4. " " = Not Regulated
- 5. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 6. Method Detection Limit = 0.02 µg/cm²; Based upon the customer's requirement, the unit of the test result was conversed into mg/kg.

PFOS Reference Information: POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².



Test Report No.: CV/2018/40093 Page: 5 of 11 Date: 2018/04/20


NGK SPARK PLUG CO., LTD. 2808. IWASAKI. KOMAKI-SHI. AICHI. JAPAN. <485-8510>



Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)

Technician: Rita Chen Supervisor: Troy Chang





Test Report No.: CV/2018/40093 Page: 6 of 11 Date: 2018/04/20


NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



Analytical flow chart - PBB / PBDE

Technician: Yaling Tu

First testing process -Optional screen process Confirmation process






Test Report No.: CV/2018/40093 Page: 7 of 11 Date: 2018/04/20

NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



Analytical flow chart - PFOA/PFOS

Technician: Yaling Tu Supervisor: Troy Chang





Test Report No.: CV/2018/40093 Page: 8 of 11 Date: 2018/04/20


NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



These samples were dissolved totally by pre-conditioning method according to below flow chart.

Technician: Rita Chen Supervisor: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO 3, HCI, HF, H ₂ O ₂		
Glass	HNO ₃ /HF		
Gold, platinum, palladium, ceramic	Aqua regia		
Silver	HNO ₃		
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI		
Others	Added appropriate reagent to total digestion		




Test Report No.: CV/2018/40093 Page: 9 of 11 Date: 2018/04/20

NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



Analytical flow chart - Halogen

Technician: Rita Chen Supervisor: Troy Chang





Test Report No.: CV/2018/40093 Page: 10 of 11 Date: 2018/04/20


NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



Analytical flow chart - Phthalate

Technician: Andy Hsu Supervisor: Troy Chang

[Test method: IEC 62321-8]





Test Report No.: CV/2018/40093 Page: 11 of 11 Date: 2018/04/20

NGK SPARK PLUG CO., LTD. 2808, IWASAKI, KOMAKI-SHI, AICHI, JAPAN. <485-8510>



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CV/2018/40093



** End of Report **