

No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : SHINKO ELECTRIC INDUSTRIES CO., LTD.

Sample Name : CDA194

Sample Receiving Date

17-Oct-2024

Testing Period

: 17-Oct-2024 to 24-Oct-2024

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).


(2) Please refer to next pages for the other item(s).

Test Results

Please refer to following pages.

Conclusion

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.





Page: 1 of 16

PIN CODE: C29491EA

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Part Description

No.1 : COPPER COLORED METAL

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	100
	analysis was performed by ICP-OES.				
Lead (Pb)	With reference to IEC 62321-5: 2013,	mg/kg	2	5.58	1000
	analysis was performed by ICP-OES.				
Mercury (Hg)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	1000
	AMD1: 2017, analysis was performed				
	by ICP-OES.				
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015,	μg/cm²	0.1	n.d.	-
	analysis was performed by UV-VIS.				
Monobromobiphenyl		mg/kg	5	n.d.	ı
Dibromobiphenyl		mg/kg	5	n.d.	ı
Tribromobiphenyl		mg/kg	5	n.d.	1
Tetrabromobiphenyl		mg/kg	5	n.d.	ı
Pentabromobiphenyl		mg/kg	5	n.d.	ı
Hexabromobiphenyl		mg/kg	5	n.d.	ı
Heptabromobiphenyl		mg/kg	5	n.d.	ı
Octabromobiphenyl		mg/kg	5	n.d.	ı
Nonabromobiphenyl		mg/kg	5	n.d.	1
Decabromobiphenyl		mg/kg	5	n.d.	ı
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	-	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	ı
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 2 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Butyl benzyl phthalate (BBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Dibutyl phthalate (DBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-(2-ethylhexyl) phthalate (DEHP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisobutyl phthalate (DIBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisobutyl phthalate (DIDP) (CAS DIisobutyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS DIisobutyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Analysis was performed by GC/MS. Di-n-postyl phthalate (DINP) (CAS No.: 131-84-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-postyl phthalate (DINP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DINP) (CAS No.: 131-18-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: 1388-89-6) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With referen	Test Item(s)	Method	Unit	MDL	Result	Limit
analysis was performed by GC/MS. mg/kg 50 n.d. 1000					No.1	
Dibutyl phthalate (DBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-(2-ethylhexyl) phthalate (DEHP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisobutyl phthalate (DIBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS Diisodecyl phthalate (DIDP) (CAS Diisononyl phthalate (DINP) (CAS No: 28753-12-0, 68515-49-1) Diisononyl phthalate (DNOP) (CAS No: 117-84-0) Bis(2-methoxyethyl) phthalate (DNOP) (CAS No: 131-18-0) Di-n-pentyl phthalate (DNOP) (CAS No: 341-18-0) Di-n-pentyl phthalate (DNPP) (CAS No: 342-75-3) 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters (DHNUP) (CAS No: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No: 26337-99-4, 3194-55-6 (134237-51-7, 134237-	Butyl benzyl phthalate (BBP)	·	mg/kg	50	n.d.	1000
analysis was performed by GC/MS. Di-(2-ethylhexyl) phthalate (DEHP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisobutyl phthalate (DIBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: 28751-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: 2817-82-8) Di-n-pentyl phthalate (DNOP) (CAS No.: 384-75-3) Di-n-pentyl phthalate (DNPP) (CAS No.: 384-75-3) Li-Benzenedicarboxylic acid, di-C6-8-branched and linear alkyl esters (DHNUP) (CAS No.: 71888-89-6) Li-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 26337-99-4, 3194-55-6 (134237-51-7, 134237-						
Di-(2-ethylhexyl) phthalate (DEHP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisobutyl phthalate (DIBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS Di-n-octyl phthalate (DNOP) (CAS Di-n-octyl phthalate (DNOP) (CAS Di-n-otyl phthalate (DNOP) (CAS Di-n-pentyl phthalate (DNOP) (CAS Di-n-pentyl phthalate (DNOP) (CAS No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DNOP) (CAS No.: 131-18-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNOP) (CAS No.: 131-18-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNOP) (CAS No.: 34-75-3) No.: 84-75-3) No.: 34-75-3) No.: 12-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-1-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
analysis was performed by GC/MS. Diisobutyl phthalate (DIBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-42-4) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-42-4) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DNEP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) Di-n-pentyl phthalate (DNPP) (CAS No.: 84-75-3) 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 1888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.		analysis was performed by GC/MS.				
Diisobutyl phthalate (DIBP) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: 26567-49-1) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: 117-82-8) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNPP) (CAS No.: 131-18-0) Analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 131-18-0) Analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 131-18-0) Analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 131-18-0) Analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 131-18-0) Analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 131-18-0) Analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 131-18-0) Analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DNEP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 311-18-0) Di-n-hexyl phthalate (DNPP) (CAS No.: 131-18-0) Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 117-82-8) Di-n-hexyl phthalate (DNPP) (CAS No.: 121-82-8) Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.		analysis was performed by GC/MS.				
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS Diisononyl phthalate (DNOP) (CAS No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DNOP) (CAS Diisononyl phthalate (DNOP) (DNOP) (CAS Diisononyl phthalate (DNOP) (DNOP) (CAS Diisononyl phthalate (DNOP) (DNOP	Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) Di-n-otyl phthalate (DNOP) (CAS No.: 117-84-0) Di-n-pentyl phthalate (DNOP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNOP) (CAS No.: 111-80) Di-n-hexyl phthalate (DNOP) (CAS No.: 121-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 121-18-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-9: 2021, analysis was performed by GC/MS.		analysis was performed by GC/MS.				
No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 284-75-3) Di-n-hexyl phthalate (DNHP) (CAS No.: 184-75-3) Tyle-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters (DHNP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β-HBCDD), γ-HBCDD) (CAS No.: 2637-99-4, 3194-55-6 (134237-51-7, 134237-	Diisodecyl phthalate (DIDP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DNPP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3) Analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	No.: 26761-40-0, 68515-49-1)	analysis was performed by GC/MS.	J. J.			
No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DNPP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3) Analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	Diisononyl phthalate (DINP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3) 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	No.: 28553-12-0, 68515-48-0)	analysis was performed by GC/MS.				
No.: 117-84-0) Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 325637-99-4, 3194-55-6 (134237-51-7, 134237-	Di-n-octyl phthalate (DNOP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8) Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 431-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 44-75-3) 1,2-Benzenedicarboxylic acid, di-C6-8-9-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	No.: 117-84-0)	analysis was performed by GC/MS.	J. J.			
Di-n-pentyl phthalate (DNPP) (CAS No.: 117-82-8) analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0) with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3) with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 7480, di-C6-40) with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. mg/kg	Bis(2-methoxyethyl) phthalate		mg/kg	50	n.d.	-
No.: 131-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3) 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	(DMEP) (CAS No.: 117-82-8)	analysis was performed by GC/MS.	J. J.			
No.: 131-18-0) Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3) 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, (C7-rich (DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	Di-n-pentyl phthalate (DNPP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
No.: 84-75-3) analysis was performed by GC/MS. 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	No.: 131-18-0)	analysis was performed by GC/MS.				
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	Di-n-hexyl phthalate (DNHP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1
8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-9: 2021, analysis was performed by GC/MS. With reference to IEC 62321-9: 2021, analysis was performed by GC/MS.	No.: 84-75-3)	analysis was performed by GC/MS.				
8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-9: 2021, analysis was performed by GC/MS. With reference to IEC 62321-9: 2021, analysis was performed by GC/MS.	1,2-Benzenedicarboxylic acid, di-C6-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
(DIHP) (CAS No.: 71888-89-6) 1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	,	analysis was performed by GC/MS.	J. J.			
11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) analysis was performed by GC/MS. Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	1					
11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4) analysis was performed by GC/MS.	1,2-Benzenedicarboxylic acid, di-C7-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
(DHNUP) (CAS No.: 68515-42-4) Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	,	•	J. J			
and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	1					
and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	Hexabromocyclododecane (HBCDD)	With reference to IEC 62321-9: 2021,	mg/kg	20	n.d.	-
identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-		·				
HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	1					
3194-55-6 (134237-51-7, 134237-						
	* *					
	•					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 3 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)		mg/kg	50	n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-	Negative	-
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Tributyl tin (TBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03▲	n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Bisphenol A (CAS No.: 80-05-7)	With reference to RSTS-CHEM-239-1, analysis was performed by LC/MS/MS.	mg/kg	1	n.d.	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μ g/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

- 9. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.
- 10. This is the additional test report of ETR24A03159.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 5 of 16




No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 6 of 16




No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - PBBs / PBDEs

First testing process ____ Optional screen process ____ Confirmation process ____ __ ___



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 7 of 16




No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 8 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 9 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 10 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 11 of 16




No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A \ US EPA 3052】



^{*} US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 12 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 13 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Bisphenol A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 14 of 16




No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 15 of 16



No.: ETR24A03159M01 Date: 24-Oct-2024

SHINKO ELECTRIC INDUSTRIES CO., LTD.
80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR24A03159



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 16 of 16