

Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 1 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

樣品名稱(Sample Name) : HEAT SPREADER(SUS)

收件日(Sample Receiving Date) : 13-Apr-2021

測試期間(Testing Period) : 13-Apr-2021 to 20-Apr-2021

測試需求(Test Requested) : (1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測

試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted

sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Change Manager Te h SGS
Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 3046BAA2



Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 2 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 銀色金屬 (SILVER COLORED METAL)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光	mg/kg	2	n.d.
43-9)	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013,以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-	參考IEC 62321-4: 2013+ AMD1: 2017,以感應耦	mg/kg	2	n.d.
97-6)	合電漿發射光譜儀分析。(With reference to IEC			
	62321-4: 2013+ AMD1: 2017, analysis was			
	performed by ICP-OES.)			
六價鉻 (Hexavalent Chromium) Cr(VI)	參考IEC 62321-7-1: 2015,以紫外光-可見光分光	μg/cm²	0.1	n.d.
(CAS No.: 18540-29-9) (#2)	光度計分析。(With reference to IEC 62321-7-1:			
	2015, analysis was performed by UV-VIS.)			
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	參考IEC 62321-6: 2015,以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.



Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 3 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 62321-6: 2015·以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (BBP)) (CAS No.: 85-68-7)	析。(With reference to IEC 62321-8: 2017,			
	analysis was performed by GC/MS.)			
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DBP)) (CAS No.: 84-74-2)	析。(With reference to IEC 62321-8: 2017,			
	analysis was performed by GC/MS.)			
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分	mg/kg	50	n.d.
(2-ethylhexyl) phthalate (DEHP)) (CAS	析。(With reference to IEC 62321-8: 2017,			
No.: 117-81-7)	analysis was performed by GC/MS.)			
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DIBP)) (CAS No.: 84-69-5)	析。(With reference to IEC 62321-8: 2017,	3. 3		
	analysis was performed by GC/MS.)			
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl	参考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DIDP)) (CAS No.: 26761-40-	析。(With reference to IEC 62321-8: 2017,	J. J		
0, 68515-49-1)	analysis was performed by GC/MS.)			
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl	参考IEC 62321-8: 2017 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DINP)) (CAS No.: 28553-12-	析。(With reference to IEC 62321-8: 2017,	3, 3		
0, 68515-48-0)	analysis was performed by GC/MS.)			
	参考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DNOP)) (CAS No.: 117-84-0)	析。(With reference to IEC 62321-8: 2017,	, , , , , , , , , , , , , , , , , , ,	30	11.0.
	analysis was performed by GC/MS.)			
	Juliary 313 Was performed by GC/1913.)			



Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 4 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)	參考IEC 62321-8: 2017.以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
(CAS No.: 117-82-8)	參考IEC 62321-8: 2017.以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯 (DHNUP) (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)) (CAS No.: 68515-42-4)	參考IEC 62321-8: 2017‧以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二 (C6-8支鏈)烷基酯,富C7 (DIHP) (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)) (CAS No.: 71888-89-6)	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	参考BS EN 14582: 2016·以離子層析儀分析。 (With reference to BS EN 14582: 2016, analysis	mg/kg	50	n.d.
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)	was performed by IC.)	mg/kg	50	n.d.
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.



Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 5 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
多氯聯苯 (PCBs) (Polychlorinated biphenyls (PCBs))	參考US EPA 3550C: 2007.以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.
多氯奈 (PCNs) (Polychlorinated naphthalene (PCNs))	參考US EPA 3550C: 2007,以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.
多氯三聯苯 (PCTs) (Polychlorinated terphenyls (PCTs))	參考US EPA 3550C: 2007,以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.
短鏈氯化石蠟(C10-C13) (SCCP) (Short Chain Chlorinated Paraffins(C10-C13) (SCCP)) (CAS No.: 85535-84-8)	參考US EPA 3550C: 2007,以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	50	n.d.
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.
氧化雙三丁基錫 (TBTO) (Bis(tributyltin) oxide (TBTO)) (CAS No.: 56-35-9)	由三丁基錫測試結果計算得之。(Calculated from the result of Tributyl Tin (TBT).)	mg/kg	0.03 🛦	n.d.
三苯基錫 (TPhT) (Triphenyl tin (TPhT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.
二丁基錫 (DBT) (Dibutyl tin (DBT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.
二辛基錫 (DOT) (Dioctyl tin (DOT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.



Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021 頁數(Page): 6 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method) (Un			(Result)
				No.1
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2013 · 以傅立葉轉換紅外線光	**	-	Negative
	譜儀及焰色法分析。(With reference to ASTM			
	E1252: 2013, analysis was performed by FT-IR			
	and Flame Test.)			
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	參考US EPA 3050B: 1996,以感應耦合電漿發射	mg/kg	2	n.d.
36-0)	光譜儀分析。(With reference to US EPA 3050B:			
	1996, analysis was performed by ICP-OES.)			
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	參考US EPA 3050B: 1996,以感應耦合電漿發射	mg/kg	2	n.d.
41-7)	光譜儀分析。(With reference to US EPA 3050B:			
	1996, analysis was performed by ICP-OES.)			

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including):

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

- 8. 全氟辛酸及其鹽類包含 (PFOA and its salts including):
 - CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 9. (#2) =

determination.)

a. 當六價鉻結果大於0.13 µg/cm²·表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI).) b. 當六價鉻結果為n.d. (濃度小於0.10 µg/cm²)·表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The coating is considered a non-Cr(VI) based coating) c. 當六價鉻結果介於 0.10 及 0.13 µg/cm² 時,無法確定塗層是否含有六價鉻。(The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the



Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 7 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

10. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 換算公式 (Conversion Formula): AX = A × F

AX	Α	F
氧化雙三丁基錫 (Bis(tributyltin)oxide) (TBTO)	三丁基錫 (Tributyl Tin) (TBT)	1.024

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc



Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 8 of 18


健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)





Test Report


號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 9 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report


號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)
松園市象山區華西科特園區科特一路40號 (NO. 40 KEILIST PD. GUEISHANI DISTRICT TAOYUANI CITY 3

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 10 of 18




Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021 頁數(Page): 11 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021 頁數(Page): 12 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen

樣品前處理/分樣 / Sample pretreatment/separation

平重及將樣品放入樣品槽中 / Weighting and putting sample in cell

燃燒彈/吸收
Oxygen Bomb Combustion / Absorption

稀釋至固定體積 / Dilution to fixed volume

離子層析儀分析 / Analysis was performed by IC




Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021 頁數(Page): 13 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021 頁數(Page): 14 of 18


健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021 頁數(Page): 15 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

有機錫分析流程圖 / Analytical flow chart - Organic-Tin





Test Report


號碼(No.): ETR21402644 日期(Date): 20-Apr-2021

頁數(Page): 16 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC





Test Report

號碼(No.): ETR21402644 日期(Date): 20-Apr-2021


健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

元素以 ICP-OES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-OES)

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
玻璃 / Glass	硝酸,氫氟酸 / HNO₃/HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO ₃
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate
	reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 17 of 18



Test Report


號碼(No.): ETR21402644 日期(Date): 20-Apr-2021 頁數(Page): 18 of 18

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR21402644



** 報告結尾 (End of Report) **