

No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION

5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : RESONAC CORPORATION

Sample Name : LIQUID SOLDER RESIST FOR PRINTED WIRING BOARD

Style/Item No. : SR7300GR-B=>SR7300G-B/CT7300A-B, SR7300GR-B/CT7300A-B

\_\_\_\_\_\_

Sample Receiving Date : 05-Nov-2024

Testing Period : 05-Nov-2024 to 11-Nov-2024

**Test Requested** : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs,

DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) As requested by the client, the risk of specific PFAS in the selected sample is evaluated. The total amounts of evaluated PFAS are 477 items, concluding 145 tested

items and 332 listed items (see PFAS Remark).

(3) Please refer to next pages for the other item(s).

**Test Results** : Please refer to following pages.

**Conclusion** : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium,

Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Troy Chang / Department Malager
Signed for and on behalf of Alwah
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



Page: 1 of 53

PIN CODE: 984BC2AA



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

**Test Part Description** 

No.1 : GREEN PASTE

#### Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	100
Lead (Pb)	analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Mercury (Hg)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	1000
	AMD1: 2017, analysis was performed				
	by ICP-OES.				
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2: 2017,	mg/kg	8	n.d.	1000
	analysis was performed by UV-VIS.				
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	ı
Tribromobiphenyl		mg/kg	5	n.d.	ı
Tetrabromobiphenyl		mg/kg	5	n.d.	ı
Pentabromobiphenyl		mg/kg	5	n.d.	ı
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	-	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 2 of 53



No.: ETR24B00544 Date: 11-Nov-2024 Page: 3 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Diisopentyl phthalate (DIPP) (CAS No.: 605-50-5)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-heptyl phthalate (CAS No.: 3648-21-3)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
1,2-Benzenedicarboxylic acid, di-C6- 8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	. , ,	mg/kg	5	n.d.	-
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	260	-
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
lodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	With reference to RSTS-E&E-121, analysis was performed by LC/MS.	mg/kg	10	n.d.	-
TBBP-A-bis (CAS No.: 21850-44-2)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Bisphenol A (CAS No.: 80-05-7)	With reference to RSTS-CHEM-239-1, analysis was performed by LC/MS/MS.	mg/kg	1	n.d.	-
Tributyl tin (TBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03 ▲	n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
AZO Dyes					
4-aminobiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 53



No.: ETR24B00544 Date: 11-Nov-2024 Page: 5 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloro-o-toluidine (CAS No.: 95- 69-2)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	ı
o-aminoazotoluene (CAS No.: 97-56- 3)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	ı
5-nitro-o-toluidine (CAS No.: 99-55-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminoanisole (CAS No.: 615- 05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dichlorobenzidine (CAS No.: 91-94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethoxybenzidine (CAS No.: 119-90-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethylbenzidine (CAS No.: 119-93-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethyl-4,4'- diaminodiphenylmethane (CAS No.: 838-88-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
2-methoxy-5-methylaniline (CAS No.: 120-71-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-methylene-bis-(2-chloroaniline) (CAS No.: 101-14-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-thiodianiline (CAS No.: 139-65-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminotoluene (CAS No.: 95-80-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4,5-trimethylaniline (CAS No.: 137-17-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-anisidine (CAS No.: 90-04-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-aminoazobenzene (CAS No.: 60-09-3)	With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.	mg/kg	3	n.d.	-
2,4-xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,6-xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 6 of 53



No.: ETR24B00544 Date: 11-Nov-2024 Page: 7 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-	Negative	-
Asbestos					
Actinolite (CAS No.: 77536-66-4)	With reference to EPA 600/R-93/116:	-	1	Negative	-
Amosite (CAS No.: 12172-73-5)	1993, analysis was performed by	-	1	Negative	-
Anthophyllite (CAS No.: 77536-67-5)	Stereo Microscope (SM), Dispersion	-	ı	Negative	-
Chrysotile (CAS No.: 12001-29-5)	Staining Polarized Light Microscope	-	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)	(DS-PLM) and X-ray Diffraction	-	-	Negative	-
Tremolite (CAS No.: 77536-68-6)	Spectrometer (XRD).	-	-	Negative	_
Red Phosphorus	Analysis was performed by Pyrolyzer-GC/MS.	**	-	Negative	-
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Chromium (Cr) (CAS No.: 7440-47-3)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Selenium (Se) (CAS No.: 7782-49-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Barium (Ba) (CAS No.: 7440-39-3)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	81700	-
Medium Chain Chlorinated Paraffins(C14-C17) (MCCP) (CAS No.: 85535-85-9)	With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
PFAS					
PFHxA and its salts					
Perfluorohexane acid and its salts (PFHxA and its salts) (CAS No.: 307- 24-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	1
PFHxA related compounds					
1H,1H,2H,2H-Perfluoro-1-octanol (6:2FTOH) (CAS No.: 647-42-7)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.1	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 8 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
1H,1H,2H,2H-Perfluorooctylacrylate (6:2FTA) (CAS No.: 17527-29-6)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2 FTMAC) (CAS No.: 2144-53-8)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H- Perfluorooctanesulphonic acid and its salts (6:2 FTS and its salts) (CAS No.: 27619-97-2 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1,1,1,2,2,3,3,4,4,5,5,6,6-tridecafluoro- 8-iodooctane (6:2 FTI) (CAS No.: 2043-57-4)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluorohexyl iodide (PFHxI) (CAS No.: 355-43-1)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
n-(4,4,5,5,6,6,7,7,8,8,9,9,9- tridecafluorononyl)iodoacetamide (CAS No.: 852527-50-5)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctyl triethoxysilane (POTS) (CAS No.: 51851-37-7)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H- Perfluorooctyltrichlorosilane (CAS No.: 78560-45-9)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Mono[2-(perfluorohexyl)ethyl] Phosphate and its salts (6:2 monoPAP and its salts) (CAS No.: 57678-01-0 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
2-lodo-1H,1H,1H,2H,3H,3H- perfluorononane (CAS No.: 38550- 34-4)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
N-[3-(dimethylamino)propyl]- 3,3,4,4,5,5,6,6,7,7,8,8,8- tridecafluorooctanesulphonamide N-oxide (CAS No.: 80475-32-7)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 9 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Thiocyanic acid, 3,3,4,4,5,5,6,6,7,7,8,8,8- tridecafluorooctyl ester (CAS No.: 26650-09-9)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
2H,2H,3H,3H-Perfluorononanoic acid (6:3 FTCA) (CAS No.: 27854-30- 4)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorooctanethiol (6:2 FTSH) (CAS No.: 34451-26-8)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
1H,1H,2H,2H- Perfluorooctyldimethylchlorosilane (6:2 FTSiMe2Cl) (CAS No.: 102488- 47-1)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
1-lodo-1H,1H-Perfluoroheptane (6:1 FTI) (CAS No.: 212563-43-4)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
3-(Perfluorohexyl)propyl iodide (6:3 FTI) (CAS No.: 89889-20-3)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
1H,1H,2H,2H- Perfluorooctanephosphonic acid and its salts (6:2 FTPA and its salts) (CAS No.: 252237-40-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H-perfluorohexan-1-ol (5:1 FTOH) (CAS No.: 423-46-1)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.2	n.d.	-
1H,1H-perfluoro-1-heptanol (6:1 FTOH) (CAS No.: 375-82-6)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.2	n.d.	-
3-(perfluorohexyl)propanol (6:3 FTOH) (CAS No.: 80806-68-4)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
3,3,4,4,5,5,6,6,7,7,7-undecafluoro-2- heptanol (CAS No.: 914637-05-1)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.2	n.d.	-
1-(perfluorohexyl)octane (CAS No.: 133331-77-8)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-
1H,1H-Perfluoroheptylamine (6:1 FTNH2) (CAS No.: 423-49-4)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 10 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
	With reference to CEN/TS 15968: 2010,	mg/kg	1	n.d.	-
No.: 25291-17-2)	analysis was performed by GC/MS.				
PFHxS and its salts					
Perfluorohexane sulfonate and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (PFHxS and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
355-46-4 and its salts)					
PFHxS related compounds					
N-Methylperfluoro-1-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
hexanesulfonamide (N-Me-FHxSA)	analysis was performed by LC/MS/MS.				
(CAS No.: 68259-15-4)					
Perfluorohexane sulfonamide	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(PFHxSA) (CAS No.: 41997-13-1)	analysis was performed by LC/MS/MS.				
N-[3-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(dimethylamino)propyl]tridecafluoro	analysis was performed by LC/MS/MS.				
hexanesulphonamide (N-AP-FHxSA)					
(CAS No.: 50598-28-2)					
2-	With reference to CEN/TS 15968: 2010,	mg/kg	0.2	n.d.	-
[Methyl[(tridecafluorohexyl)sulphony	analysis was performed by GC/MS.				
l]amino]ethyl acrylate (N-MeFHSEA)					
(CAS No.: 67584-57-0)					
2-Propenoic acid, 2-methyl-, 2-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-	analysis was performed by GC/MS.				
tridecafluorohexyl)sulfonyl]amino]et					
hyl ester (CAS No.: 67584-61-6)					
2-Propenoic acid, 2-methyl-, 2-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-	analysis was performed by GC/MS.				
tridecafluorohexyl)sulfonyl]amino]et					
hyl ester (CAS No.: 67906-70-1)					
1-Hexanesulfonamide,	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	- 7
1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	analysis was performed by LC/MS/MS.				
N-(2-hydroxyethyl)-N-methyl-					
(MeFHxSE) (CAS No.: 68555-75-9)					



No.: ETR24B00544 Date: 11-Nov-2024 Page: 11 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result	Limit
Glycine, N-ethyl-N- [(1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluorohexyl)sulfonyl] and its salts (EtFHxSAA and its salts) (CAS No.: 68957-32-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	No.1 n.d.	_
PFOS and its salts					
Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
PFOS related compounds					
N-ethylperfluoro-1- octanesulfonamide (EtFOSA) (CAS No.: 4151-50-2)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Methyl- Perfluoroctanesulfonamide (N-Me-FOSA) (CAS No.: 31506-32-8)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Ethyl- Perfluoroctanesulfonamidoethanol (N-Et-FOSE alcohol) (CAS No.: 1691- 99-2)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Methyl- Perfluoroctanesulfonamidoethanol (N-Me-FOSE alcohol) (CAS No.: 24448-09-7)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroctanesulfonamide and its salts (PFOSA and its salts) (CAS No.: 754-91-6 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
PFOA and its salts					
Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
PFOA related compounds					
Methyl perfluorooctanoate (Me- PFOA) (CAS No.: 376-27-2)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Ethyl perfluorooctanoate (Et-PFOA) (CAS No.: 3108-24-5)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 12 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluoro-1-iodooctane (PFOI) (CAS	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
No.: 507-63-1)	analysis was performed by GC/MS.				
3-Perfluoroheptyl propanoic acid	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(7:3 FTCA) (CAS No.: 812-70-4)	analysis was performed by LC/MS/MS.				
1H,1H,2H,2H-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Perfluorodecanesulfonic acid and its	analysis was performed by LC/MS/MS.				
salts (8:2 FTS and its salts) (CAS No.:					
39108-34-4 and its salts)					
1H,1H,2H,2H-Perfluoro-1-decanol	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(8:2 FTOH) (CAS No.: 678-39-7)	analysis was performed by GC/MS and				
	LC/MS/MS.				
1H,1H,2H,2H-Perfluorodecyl acrylate		mg/kg	0.1	n.d.	-
(8:2 FTA) (CAS No.: 27905-45-9)	analysis was performed by GC/MS.				
1H,1H,2H,2H-Perfluorodecyl	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
methacrylate (8:2 FTMA) (CAS No.:	analysis was performed by GC/MS.				
1996-88-9)					
2H,2H-Perfluorodecane acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (H2PFDA and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
27854-31-5 and its salts)					
1H,1H,2H,2H-Perfluorodecyl iodide	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(8_2 FTI) (CAS No.: 2043-53-0)	analysis was performed by GC/MS.				
1H,1H,2H,2H-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
Perfluorodecyltriethoxysilane (8:2	analysis was performed by GC/MS.				
FTSi(OC2H5)3) (CAS No.: 101947-16-					
4)					
2H,2H,3H,3H-Perfluoroundecanoic	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Acid and its salts (4HPFUnA and its	analysis was performed by LC/MS/MS.				
salts) (CAS No.: 34598-33-9 and its					
salts)					
1H,1H,2H-Heptadecafluoro-1-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
decene (PFDE) (CAS No.: 21652-58-	analysis was performed by GC/MS.				
4)					
Bis(1H,1H,2H,2H-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Perfluorodecyl)phosphate and its	analysis was performed by LC/MS/MS.				
salts (8_2diPAP and its salts) (CAS					
No.: 678-41-1 and its salts)					



No.: ETR24B00544 Date: 11-Nov-2024 Page: 13 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
C9-C20 PFCAs its salts and related					
compounds		4	0.01		
1H,1H,2H,2H- Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts) (CAS No.: 39108-34-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No.: 678-39-7)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) (CAS No.: 27905-45-9)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) (CAS No.: 1996-88-9)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts) (CAS No.: 27854-31-5 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorodecyl iodide (8_2 FTI) (CAS No.: 2043-53-0)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H- Perfluorodecyltriethoxysilane (8:2 FTSi(OC2H5)3) (CAS No.: 101947-16- 4)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H,2H,3H,3H-Perfluoroundecanoic Acid and its salts (4HPFUnA and its salts) (CAS No.: 34598-33-9 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H-Heptadecafluoro-1- decene (PFDE) (CAS No.: 21652-58- 4)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Bis(1H,1H,2H,2H- Perfluorodecyl)phosphate and its salts (8_2diPAP and its salts) (CAS No.: 678-41-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 14 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluorononan-1-oic acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (PFNA and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
375-95-1 and its salts)					
Perfluoro-3,7-dimethyloctanoic Acid	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(PF-3,7-DMOA) (CAS No.: 172155- 07-6)	analysis was performed by LC/MS/MS.				
Perfluorodecane acid and its salts	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(PFDA and its salts) (CAS No.: 335-	analysis was performed by LC/MS/MS.	J. J			
76-2 and its salts)					
Perfluoroundecanoic acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (PFUnDA and its salts) (CAS No.:	analysis was performed by LC/MS/MS.	3. 3			
2058-94-8 and its salts)					
Perfluorododecanoic acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (PFDoDA and its salts) (CAS No.:	analysis was performed by LC/MS/MS.	<i>J. J</i>			
307-55-1 and its salts)					
Perfluorodecane sulfonate and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (PFDS and its salts) (CAS No.:	analysis was performed by LC/MS/MS.	<i>J</i> , <i>J</i>			
335-77-3 and its salts)					
Pentacosafluorotridecanoic acid and	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	_
its salts (PFTrDA and its salts) (CAS	analysis was performed by LC/MS/MS.	3. 3			
No.: 72629-94-8 and its salts)					
Perfluorotetradecanoic acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	_
salts (PFTDA and its salts) (CAS No.:	analysis was performed by LC/MS/MS.	3. 3			
376-06-7 and its salts)					
1H,1H,2H,2H-Perfluoro-1-dodecanol	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(10:2FTOH) (CAS No.: 865-86-1)	analysis was performed by GC/MS and	J. J			
	LC/MS/MS.				
1H,1H,2H,2H-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
Perfluorododecylacrylate (10:2FTA)	analysis was performed by GC/MS.	3 3			
(CAS No.: 17741-60-5)					
1H,1H,2H,2H-Perfluorododecyl	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
methacrylate (10:2 FTMA) (CAS No.:	analysis was performed by GC/MS.	J. J			
2144-54-9)					
1H,1H,2H,2H-perfluorotetradecan-1-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
ol (12:2 FTOH) (CAS No.: 39239-77-	analysis was performed by GC/MS and				
5)	LC/MS/MS.				



No.: ETR24B00544 Date: 11-Nov-2024 Page: 15 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
1H,1H,2H,2H-Perfluorododecane sulfonic acid and its salts (10:2 FTS and its salts) (CAS No.: 120226-60-0 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI) (CAS No.: 2043-54-1)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI) (CAS No.: 30046-31-2)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluorononane sulfonic acid and its salts (PFNS and its salts) (CAS No.: 68259-12-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroundecane sulfonic acid and its salts (PFUnDS and its salts) (CAS No.: 749786-16-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorododecane sulfonic acid and its salts (PFDoDS and its salts) (CAS No.: 79780-39-5 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorotridecane sulfonic acid and its salts (PFTrDS and its salts) (CAS No.: 791563-89-8 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
10:2 Fluortelomerphosphatediester and its salts (10:2 diPAP and its salts) (CAS No.: 1895-26-7 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
Perfluorododecyl iodide (PFDoDI) (CAS No.: 307-60-8)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluorodecyl iodide (PFDI) (CAS No.: 423-62-1)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
10:2 Fluortelomerphosphatemonoester (10:2 monoPAP and its salts) (CAS No.: 57678-05-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
Perfluoropentadecanoic acid and its salts (PFPeDA and its salts, C15) (CAS No.: 141074-63-7 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 16 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Perfluorohexadecanoic acid and its salts (PFHxDA and its salts, C16) (CAS No.: 67905-19-5 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctadecanoic acid and its salts (PFODA and its salts, C18) (CAS No.: 16517-11-6 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Other PFAS  Perfluorobutane acid and its salts (PFBA and its salts) (CAS No.: 375- 22-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorobutane sulfonate and its salts (PFBS and its salts) (CAS No.: 375-73-5 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorobutane sulfon amides (CAS No.: 30334-69-1)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-N-methylbutane-1-sulphonamide (PFBS-NC3H8O) (CAS No.: 34454-97-2)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorohexyl methacrylate (4:2 FTMA) (CAS No.: 1799-84-4)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluoropentane acid and its salts (PFPA and its salts) (CAS No.: 2706-90-3 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroheptane acid and its salts (PFHpA and its salts) (CAS No.: 375- 85-9 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
7H-Dodecanefluoroheptane acid and its salts (HPFHpA and its salts) (CAS No.: 1546-95-8 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroheptane sulfonate and its salts (PFHpS and its salts) (CAS No.: 375-92-8 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoro-3-methoxypropanoic acid (PFMPA) (CAS No.: 377-73-1)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 17 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Perfluoro-4-methoxybutanoic acid (PFMBA) (CAS No.: 863090-89-5)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA) (CAS No.: 151772-58-6)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
4,8-Dioxa-3H-perfluorononanoic acid and its salts (ADONA and its salts) (CAS No.: 919005-14-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluoro-1-hexanol (4:2FTOH) (CAS No.: 2043-47-2)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.4	n.d.	1
2,3,3,3-tetrafluoro-2- (heptafluoropropoxy)propionic acide and its salts (HFPO-DA and its salts) (CAS No.: 13252-13-6 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	1
1H,1H,2H,2H- Perfluorohexanesulfonic acid and its salts (4:2 FTS and its salts) (CAS No.: 757124-72-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctane sulfonamidoacetic acid and its salts (FOSAA and its salts) (CAS No.: 2806-24-8 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-methylperfluorooctane sulfonamidoacetic acid and its salts (N-MeFOSAA and its salts) (CAS No.: 2355-31-9 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-ethylperfluorooctane sulfonamidoacetic acid and its salts (N-EtFOSAA and its salts) (CAS No.: 2991-50-6 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoropentane sulfonic acid and its salts (PFPeS and its salts) (CAS No.: 2706-91-4 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
3-Perfluoropropyl propanoic acid (3:3 FTCA) (CAS No.: 356-02-5)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 18 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
2-Perfluorohexyl ethanoic acid (6:2 FTCA) (CAS No.: 53826-12-3)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
3-Perfluoropentyl propanoic acid (5:3 FTCA) (CAS No.: 914637-49-3)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA) (CAS No.: 113507-82- 7)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
9-Chlorohexadecafluoro-3- oxanonane-1-sulfonic acid and its salts (9CI-PF3ONS and its salts) (CAS No.: 756426-58-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
11-Chloroeicosafluoro-3- oxaundecane-1-sulfonic acid and its salts (11Cl-PF3OUdS and its salts) (CAS No.: 763051-92-9 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
2-(N- ethylperfluorooctanesulfamido)ethyl acrylate (EtFOSAC) (CAS No.: 423- 82-5)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
11H-Perfluoroundecanoic acid and its salts (11H-PFUnDA and its salts) (CAS No.: 1765-48-6 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
Pentafluoropropionate acid and its salts (PFPrA and its salts) (CAS No.: 422-64-0 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H- Perfluorodecyltrichlorosilane (CAS No.: 78560-44-8)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H- Perfluorodecyltrimethoxysilane (CAS No.: 83048-65-1)	With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H-Perfluoro-2-decenoic acid (8:2 FTUCA) (CAS No.: 70887-84-2)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	_
2H-Perfluoro-2-octenoic acid (6:2 FTUCA) (CAS No.: 70887-88-6)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-



No.: ETR24B00544 Date: 11-Nov-2024 Page: 19 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
2H-Perfluoro-2-dodecenoic acid	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(10:2 FTUCA) (CAS No.: 70887-94-4)	analysis was performed by LC/MS/MS.				
2-Perfluorodecyl ethanoic acid (10:2	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
FTCA) (CAS No.: 53826-13-4)	analysis was performed by LC/MS/MS.				
6:6 Perfluorophosphinic acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (6:6 PFPi and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
40143-77-9 and its salts)					
6:8 Perfluorophosphinic acid (6:8	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
PFPi) (CAS No.: 610800-34-5)	analysis was performed by LC/MS/MS.				
8:8 Perfluorophosphinic acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (8:8 PFPi and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
40143-79-1 and its salts)					
1H,1H,2H,2H-Heptadecafluorodecyl	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
acetate (8:2 FTOAc) (CAS No.: 37858-	analysis was performed by GC/MS.				
04-1)					
Mono-[2-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(perfluorooctyl)ethyl]phosphate and	analysis was performed by LC/MS/MS.				
its salts (8:2 monoPAP and its salts)					
(CAS No.: 57678-03-2 and its salts)					
1-Dodecanol,	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,	analysis was performed by GC/MS.				
12,12,12-heneicosafluoro-, 1-acetate					
(10:2 FTOAc) (CAS No.: 37858-05-2)					
Perfluoro-2,5-dimethyl-3,6-	With reference to CEN/TS 15968: 2010,	mg/kg	0.2	n.d.	-
dioxanonanoic acid and its salts	analysis was performed by LC/MS/MS.				
(HFPO-TA and its salts) (CAS No.:					
13252-14-7 and its salts)					
Pentafluoroethane sulfonic acid	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(PFEtS) (CAS No.: 354-88-1)	analysis was performed by LC/MS/MS.				
Bis[2-(perfluorohexyl)ethyl]	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Phosphate and its salts (6:2 diPAP	analysis was performed by LC/MS/MS.				
and its salts) (CAS No.: 57677-95-9					
and its salts)					
Trifluoromethanesulfonimide and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (TFSI and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
82113-65-3 and its salts)					



No.: ETR24B00544 Date: 11-Nov-2024 Page: 20 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Trifluoromethane sulfonic acid and	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
its salts (TFMS and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
1493-13-6 and its salts)					
Perfluoropropate sulfonic acid and	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
	analysis was performed by LC/MS/MS.				
423-41-6 and its salts)					
1-pefluoroheptyl ethanol (7:2	With reference to CEN/TS 15968: 2010,	mg/kg	0.2	n.d.	-
secondary) (7:2s FTOH) (CAS No.:	analysis was performed by GC/MS.				
24015-83-6)					
4:2 Fluorotelomer iodide (4:2 FTI)	With reference to CEN/TS 15968: 2010,	mg/kg	0.2	n.d.	-
(CAS No.: 2043-55-2)	analysis was performed by GC/MS.				
Perfluoroheptane-1-sulfinic acid and	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
its salts (PFHpSi and its salts) (CAS	analysis was performed by LC/MS/MS.				
No.: 769067-51-8 and its salts)					
Perfluorooctylphosphoic acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (PFOPA and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
40143-78-0 and its salts)					
1H,1H-Perfluorooctylamine (CAS	With reference to CEN/TS 15968: 2010,	mg/kg	0.2	n.d.	-
No.: 307-29-9)	analysis was performed by GC/MS.				
Perfluoroheptanamide (CAS No.:	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
2358-22-7)	analysis was performed by GC/MS.				
Perfluorobutyramide (CAS No.: 662-	With reference to CEN/TS 15968: 2010,	mg/kg	0.2	n.d.	-
50-0)	analysis was performed by GC/MS.				
1H,1H,2H,2H-Nonafluorohexyl	With reference to CEN/TS 15968: 2010,	mg/kg	0.2	n.d.	-
acrylate (4:2 FTA) (CAS No.: 52591-	analysis was performed by GC/MS.				
27-2)					
N-methylperfluoro-1-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
butanesulfonamide (CAS No.: 68298-	analysis was performed by LC/MS/MS.				
12-4)					
N-Ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
tridecafluoro-N-(2-hydroxyethyl)-1-	analysis was performed by LC/MS/MS.				
hexanesulfonamide (CAS No.:					
34455-03-3)					
Ethyl perfluoroisobutyl ether and its	With reference to CEN/TS 15968: 2010,	mg/kg	10	n.d.	-
isomers (CAS No.: 163702-05-4 and	analysis was performed by GC/MS.				
others)					



No.: ETR24B00544 Date: 11-Nov-2024 Page: 21 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1,1,1,2,2,3,4,5,5,5,-decafluoro-	With reference to CEN/TS 15968: 2010,	mg/kg	10	n.d.	-
Pentane (CAS No.: 138495-42-8)	analysis was performed by GC/MS.				
Trifluorotoluene (CAS No.: 98-08-8)	With reference to CEN/TS 15968: 2010,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
1-Chloro-4 (Trifluoromethyl)Benzene	With reference to CEN/TS 15968: 2010,	mg/kg	1	n.d.	-
(CAS No.: 98-56-6)	analysis was performed by GC/MS.				
1H,1H,2H,2H-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
Perfluorodecylmethyldichlorosilane	analysis was performed by GC/MS.				
(CAS No.: 3102-79-2)					

#### Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. \*\*= Qualitative analysis (No Unit)
- 6. Negative = Undetectable ; Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula :  $AX = A \times F$ 

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region\_TW/DocDownload.aspx?name=Others

9. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.



No.: ETR24B00544 Date: 11-Nov-2024 Page: 22 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
	Perfluorobutane acid (PFBA)	375-22-4
	Ammonium perfluorobutanoate (PFBA-NH <sub>4</sub> )	10495-86-0
	Sodium perfluorobutanoate (PFBA-Na)	2218-54-4
DEDA 's le	Potassium heptafluorobutanoate (PFBA-K)	2966-54-3
PFBA, its salts	Silver perfluorobutanoate (PFBA-Ag)	3794-64-7
	Lithium perfluorobutanoate (PFBA-Li)	4146-76-3
	Heptafluorobutanoic acid-piperazine (1:1)	375-04-2
	Perfluorobutanoate (anion)	45048-62-2
	Perfluorobutane sulfonate (PFBS)	375-73-5
	1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, sodium salt (1:1) (PFBS-Na)	60453-92-1
	Lithium perfluorobutanesulfonate (PFBS-Li)	131651-65-5
	Magnesium perfluorobutanesulfonate (PFBS-Mg)	507453-86-3
	Perfluorobutane Sulfonate K-salt (PFBS-K)	29420-49-3
	Perfluorobutane sulfonyl fluoride (PFBS-F)	375-72-4
	Tetraethylammonium perfluorobutanesulfonate (PFBS-N(CH <sub>3</sub> CH <sub>2</sub> ) <sub>4</sub> )	25628-08-4
PFBS, its salts & derivatives	Triphenylsulfanium perfluorobutane sulfonate (TPS-PFBS)	144317-44-2
	Dimethyl(phenyl)sulfanium perfluorobutane sulfonate	220133-51-7
	Tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate	220689-12-3
	Morpholinium perfluorobutanesulfonate	503155-89-3
	Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate (PFBS-NH <sub>4</sub> )	68259-10-9
	Nonafluorobutanesulfonic acid Hydrate	59933-66-3
	Nonafluoro-1-butanesulfonyl chloride (PFBS-Cl)	2991-84-6
	Bis(4-tert-butylphenyl)iodonium perfluoro-1-butanesulfonate (PFBS-I( $C_6H_4$ ) <sub>2</sub> ( $C_4H_9$ ) <sub>2</sub> )	194999-85-4



No.: ETR24B00544 Date: 11-Nov-2024 Page: 23 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonic acid, compound with 2,2'-iminodiethanol (1:1) (PFBS-NH( $C_2H_5O$ ) <sub>2</sub> )	70225-18-2
	1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate (PFBS-SC <sub>18</sub> H <sub>23</sub> O)	209482-18-8
	Tetrabutylammonium nonafluorobutanesulfonate ((PFBS- $N(C_4H_9)_4$ ))	108427-52-7
	Diphenyliodanium nonafluorobutane-1-sulfonate((PFBS- $I(C_6H_5)_2$ ))	194999-82-1
	Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	241806-75-7
	Sulfonium, (4-cyclohexylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	425670-64-0
	Thiophenium, tetrahydro-1-(1-methyl-1H-indol-3-yl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	867373-18-0
	Pyridinium, 1-ethyl-3-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	1015420-87-7
PFBS, its salts & derivatives	1H-Imidazolium, 1-methyl-3-octyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	905972-83-0
T 55, its saits & dematives	1H-Imidazolium, 3-hexyl-1-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	1001557-05-6
	2-Propanaminium, N,N-dimethyl-N-(1-methylethyl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	374571-81-0
	Sulfonium, [4-[2-(1,1-dimethylethoxy)-2-oxoethoxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	857285-80-4
	1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	124472-66-8
	1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, zinc salt (2:1) (PFBS-Zn)	502457-69-4
	1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,4- nonafluoro-1-butanesulfonate (1:1)	56773-55-8
	Perfluorobutanesulfonic acid tetramethylammonium salt (PFBS-N(CH <sub>3</sub> ) <sub>4</sub> )	25628-17-5
	1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, 1,1'- anhydride	36913-91-4
	Perfluorobutane sulfonate (anion)	45187-15-3



No.: ETR24B00544 Date: 11-Nov-2024 Page: 24 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	1-(4-butoxy-1-naphthalenyl)tetrahydrothiophenium - 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate	EC No. 468-770-4
	1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, compd. with N,N-diethylethanamine (1:1)	182059-38-7
	1-Octanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	334529-55-4
PFBS, its salts & derivatives	Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1- butanesulfonate (1:1)	334529-62-3
	Pyridinium, 1-butyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1- butanesulfonate (1:1)	334529-64-5
	1-Octanaminium, N-methyl-N,N-dioctyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate (1:1)	495417-51-1
	Sulfonium, tris(4-methylphenyl)-, 1,1,2,2,3,3,4,4,4-nonafluoro- 1-butanesulfonate (1:1)	722538-68-3
	Perfluoropentane acid (PFPA)	2706-90-3
	Sodium perfluoropentanoate (PFPA-Na)	2706-89-0
	Potasium perfluoropentanoate (PFPA-K)	336-23-2
	Ammonium perfluoropentanoate (PFPA-NH <sub>4</sub> )	68259-11-0
PFPA, its salts	Lithium perfluoropentanoate (PFPA-Li)	198482-22-3
TTT A, Its saits	Silver perfluoropentanoate (PFPA-Ag)	2795-30-4
	Perfluoropentanoate (anion)	45167-47-3
	Pentanoic acid, 2,2,3,3,4,4,5,5,5-nonafluoro-, compd. with phenylmethyl carbamimidothioate (1:1) (PFPeA-C <sub>8</sub> H <sub>10</sub> N <sub>2</sub> S)	64808-55-5
	Nonafluoropentanoic anhydrid (PFPeAA)	308-28-1
	Perfluorohexane acid (PFHxA)	307-24-4
	Ammonium perfluorohexanoate (PFHxA-NH <sub>4</sub> )	21615-47-4
	Sodium perfluorohexanoate (PFHxA-Na)	2923-26-4
	Potassium perfluorohexanoate (PFHxA-K)	3109-94-2
	Perfluorohexanoyl fluoride (PFHxA-F)	355-38-4
	Silver perfluorohexanoate (PFHxA-Ag)	336-02-7
PFHxA, its salts & derivatives	Lithium perfluorohexanoate (PFHxA-Li)	90430-61-8
PFHXA, its saits & derivatives	Perfluorohexanoic anhydride	308-13-4
	Hexanoic acid, undecafluoro-, compd. with piperazine (2:1) (8CI,9CI)	423-47-2
	Perfluorohexanoate (anion)	92612-52-7
	Perfluorohexanoyl chloride (PFHxA-Cl)	335-53-5
	Hexanoic acid, 2,2,3,3,4,4,5,5,6,6,6-undecafluoro-, compd. with 1-hexanamine (1:1) (PFHxA-C <sub>6</sub> H <sub>15</sub> N)	565225-91-4



No.: ETR24B00544 Date: 11-Nov-2024 Page: 25 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
PFHxA, its salts & derivatives	Hexanoic acid, 2,2,3,3,4,4,5,5,6,6,6-undecafluoro-, compd. with 1-phenylpiperazine (1:1) (PFHxA- $C_{10}H_{14}N_2$ )	985-60-4
	1H,1H,2H,2H-Perfluorooctanesulphonic acid (6:2 FTS)	27619-97-2
	Sodium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-Na)	27619-94-9
	Potassium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-K)	59587-38-1
6:2 FTS, its salts	Ammonium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-NH <sub>4</sub> )	59587-39-2
	1-Octanesulfonic acid, 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluoro-, barium salt (2:1) (6:2 FTS-Ba)	1807944-82-6
	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctane-1-sulfonate (6:2 FTS(anion))	425670-75-3
	Perfluorohexane sulfonate (PFHxS)	355-46-4
	Perfluorohexanesulfonate Na-salt (PFHxS-Na)	82382-12-5
	Perfluorohexanesulfonate K-salt (PFHxS-K)	3871-99-6
	Ammonium perfluorohexanesulfonate (PFHxS-NH <sub>4</sub> )	68259-08-5
	Perfluorohexanesulfonate Li-salt (PFHxS-Li)	55120-77-9
	Perfluorohexanesulfonate Zn-salt (PFHxS-Zn)	70136-72-0
	Perfluorohexanesulfonate sulfonyl fluoride (PFHxS-F)	423-50-7
	Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1000597-52-3
	N,N,N-tributylbutan-1-aminium tridecafluorohexane-1- sulfonate	108427-54-9
	N,N,N-triethylethanaminium tridecafluorohexane-1-sulfonate (1:1)	108427-55-0
PFHxS, its salts & derivatives	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1)	1187817-57-7
	Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-24-0
	Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-27-3
	Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-28-4



No.: ETR24B00544 Date: 11-Nov-2024 Page: 26 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1)	1329995-45-0
	Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1)	1329995-69-8
	Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	144116-10-9
	Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b-hexahydrocyclopent[b]indol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1462414-59-0
	lodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	153443-35-7
	Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)	189274-31-5
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd.with 2-methyl-2-propanamine (1:1)	202189-84-2
	lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	213740-81-9
PFHxS, its salts & derivatives	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, gallium salt (9Cl)	341035-71-0
	Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	341548-85-4
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, scandium(3+) salt (3:1) (PFHxS-Sc)	350836-93-0
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, neodymium(3+) salt (3:1) (PFHxS-Nd)	41184-65-0
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, yttrium(3+) salt (3:1) (PFHxS-Y)	41242-12-0
	Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:2)	421555-73-9
	lodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid	421555-74-0
	Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	425670-70-8
	Tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1)	70225-16-0



No.: ETR24B00544 Date: 11-Nov-2024 Page: 27 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with N,N-diethylethanamine (1:1)	72033-41-1
	lodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) (9Cl)	866621-50-3
	Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	910606-39-2
	Sulfonium, [4-[(2-methyl-1-oxo-2-propen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	911027-68-4
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, cesium salt (1:1) (PFHxS-CsH)	92011-17-1
PFHxS, its salts & derivatives	Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	928049-42-7
	Perfluorohexylsulfonyl chloride (PFHxS-Cl)	55591-23-6
	Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.13,7]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.13,7]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate	911027-69-5
	Perfluorohexane sulfonate (anion)	108427-53-8
	Tetrabutylphosphonium tridecafluorohexane-1-sulfonate (PFHxS-P (C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> ))	2310194-12-6
	Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl] (EtFHxSAA)	68957-32-4
EtFHxSAA, its salts	Potassium N-ethyl-n-[(tridecafluorohexyl)sulfonyl]glycinate (EtFHxSAA-K)	67584-53-6
	Sodium N-ethyl-N-((tridecafluorohexyl)sulphonyl)glycinate (EtFHxSAA-Na)	68555-70-4
	Perfluoroheptane acid (PFHpA)	375-85-9
	Sodium perfluoroheptanoate (PFHpA-Na)	20109-59-5
	Potassium perfluoroheptanoate (PFHpA-K)	21049-36-5
DELLOA :to colto	Ammonium perfluoroheptanoate (PFHpA-NH <sub>4</sub> )	6130-43-4
PFHpA, its salts	Cesium perfluoroheptanoate (PFHpA-Cs)	171198-24-6
	Silver perfluoroheptanoate (PFHpA-Ag)	424-05-5
	Lithium perfluoroheptanoate (PFHpA-Li)	60871-90-1
	Perflluoroheptanoate (anion)	120885-29-2



No.: ETR24B00544 Date: 11-Nov-2024 Page: 28 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	7H-Dodecanefluoroheptane acid (HPFHpA)	1546-95-8
	Sodium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-Na)	2264-25-7
HPFHpA, its salts	Ammonium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-NH <sub>4</sub> )	376-34-1
	7H-Perfluoroheptanoate (HPFHpA(anion))	69681-35-2
	Perfluoroheptane sulfonate (PFHpS)	375-92-8
	Perfluoroheptanesulfonate Na-salt (PFHpS-Na)	21934-50-9
	Potassium perfluoroheptanesulfonate (PFHpS-K)	60270-55-5
	Ammonium perfluoroheptanesulfonate (PFHpS-NH <sub>4</sub> )	68259-07-4
	Lithium perfluoroheptanesulfonate (PFHpS-Li)	117806-54-9
PFHpS, its salts	1-Heptanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7- pentadecafluoro-, compd. with 2,2'-iminobis[ethanol] (1:1)	70225-15-9
	Perfluoroheptane sulfonate (anion)	146689-46-5
	Triethylammonium perfluoroheptane sulfonate	72033-40-0
	Tetraethylammonium perfluoroheptane sulfonate	439863-97-5
	1-Heptanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7- pentadecafluoro-, anhydride (9CI) (PFHpSA)	140429-92-1
	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> )	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) <sub>2</sub> )	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOSN( $C_2H_5$ ) <sub>4</sub> )	56773-42-3
PFOS, its salts & derivatives	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS- $N(C_4H_9)_4$ )	111873-33-7
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanesulfonate (anion)	45298-90-6



No.: ETR24B00544 Date: 11-Nov-2024 Page: 29 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N( $C_2H_5$ ) <sub>3</sub> )	54439-46-2
	Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(CH $_3$ ) $_4$ )	56773-44-5
	$ \begin{array}{c} \hbox{1-Pentanaminium, N,N,N-tripropyl-,} \\ \hbox{1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-} \\ \hbox{octanesulfonate (1:1) (PFOS-N(C_3H_7)_3(C_5H_{11}))} \end{array} $	56773-56-9
	1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N( $C_4H_9$ ) <sub>3</sub> (CH <sub>3</sub> ))	124472-68-0
	lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	213740-80-8
PFOS, its salts & derivatives	Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	258341-99-0
	Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4
	1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	773895-92-4
	Tetrabutylphosphonium perfluorooctane sulfonate (PFOS- $P(C_4H_9)_4$ ))	2185049-59-4
	Perfluorooctanesulfonic acid diethylamine salt (PFOS-C <sub>4</sub> H <sub>11</sub> N)	2205029-08-7
	$\label{eq:heptyldimethyl} Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl} azanium \\ perfluorooctanesulfonate (PFOS-C_{15}H_{30}NO_2)$	1203998-97-3
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	Perfluoroctanesulfonamide (PFOSA)	754-91-6
	Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
	Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
PFOSA, its salts	Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
FFO3A, ILS SAILS	Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH <sub>4</sub> )	76752-72-2
	heptadecafluorooctane-1-sulphonamide, compound with triethylamine(1:1) (PFOSA- $C_6H_{15}N$ )	76752-82-4



No.: ETR24B00544 Date: 11-Nov-2024 Page: 30 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	Silver perfluorooctanote (PFOA-Ag)	335-93-3
	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3 <sup>+</sup> ))	68141-02-6
	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA- NH(C <sub>4</sub> H <sub>10</sub> N)	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9
PFOA, its salts & derivatives	Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H <sub>2</sub> O) <sub>2</sub> )	98065-31-7
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA- $C_2H_7N$ )	1376936-03-6
	Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- $C_5H_5N$ )	95658-47-2
	Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$ )	1514-68-7
	1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- $C_{11}H_{26}N$ )	927835-01-6
	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4
8:2 FTS, its salts	1H,1H,2H,2H-Perfluorodencane sulfonate acid Potassium salt (8:2 FTS-K)	438237-73-1
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Ammonium salt (8:2 FTS-NH <sub>4</sub> )	149724-40-3
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Sodium salt (8:2 FTS-Na)	27619-96-1
	8: 2 Fluorotelomer sulfonate (anion) (8:2 FTS(anion))	481071-78-7



No.: ETR24B00544 Date: 11-Nov-2024 Page: 31 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	Perfluorononan-1-oic acid (PFNA)	375-95-1
	Perfluorononanoate Na-salt (PFNA-Na)	21049-39-8
	Perfluorononanoate ammounium salt (APFN)	4149-60-4
	Potassium perfluorononanoate (PFNA-K)	21049-38-7
	Perfluorononanoate Li-Salt (PFNA-Li)	60871-92-3
	Silver perfluorononanoate (PFNA-Ag)	7358-16-9
	Methanaminium perfluorononanoate (PFNA-NH <sub>3</sub> (CH <sub>3</sub> ))	77032-23-6
	Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-, compd. with N-ethylethanamine (1:1) $PFNA-NH_2(C_2H_5)_2)$	77032-27-0
PFNA, its salts	Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-, compd. with N-methylmethanamine (1:1) (PFNA-NH $_2$ (CH $_3$ ) $_2$ )	77032-24-7
TTVA, its saits	Nonanoic acid, heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (9CI) (PFNA-NH( $C_2H_5$ ) <sub>3</sub> )	327176-80-7
	Nonanoic acid, heptadecafluoro-, compd. with piperidine (1:1) (9CI) (PFNA-NH $_2$ (C $_5$ H $_{10}$ ))	95682-66-9
	Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-, compd. with benzenamine (1:1) (PFNA-NH $_3$ (C $_6$ H $_5$ ))	95682-67-0
	Nonanoic acid, heptadecafluoro-, compd. with cyclohexanamine (1:1) (9CI) (PFNA-NH <sub>3</sub> (C <sub>6</sub> H <sub>11</sub> ))	328531-06-2
	Perfluorononanoate (anion)	72007-68-2
	4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium heptadecafluorononanoate (PFNA- $C_{11}H_{12}N_4O_3S$ )	298703-33-0
	Perfluorononanoic anhydride (PFNAA)	228407-54-3
	Perfluorodecane acid (PFDA)	335-76-2
	Perfluorodecanoate Na-salt (PFDA-Na)	3830-45-3
	Perfluorodecanoate ammonium salt (APFDA)	3108-42-7
DEDA ita aalta	Potassium perfluorodecanoate (PFDA-K*)	51604-85-4
PFDA, its salts	Silver perfluorodecanoate (PFDA-Ag)	5784-82-7
	Lithium perfluorodecanoate (PFDA-Li)	84743-32-8
	Perfluorodecanoate (anion)	73829-36-4
	Perfluorodecanoic anhydride (PFDAA)	942199-24-8
	Perfluoroundecanoic acid (PFUnDA)	2058-94-8
DELL-DA '	Ammonium perfluoroundecanoate (PFUnDA-NH <sub>4</sub> )	4234-23-5
PFUnDA, its salts	Perfluoroundecanoic acid sodium salt (PFUnDA-Na)	60871-96-7
	Potassium perfluoroundecanoate (PFUnDA-K)	30377-53-8



No.: ETR24B00544 Date: 11-Nov-2024 Page: 32 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
DELL DA S. I.	Calcium perfluoroundecanoate (PFUnDA-Ca)	97163-17-2
PFUnDA, its salts	Perfluoroundecanoate (anion)	196859-54-8
	Perfluorododecanoic acid (PFDoDA)	307-55-1
PFDoDA, its salts	Ammonium perfluorododecanoate (APFDoDA)	3793-74-6
	Perfluorododecanoate (anion)	171978-95-3
	Pentacosafluorotridecanoic acid (PFTrDA)	72629-94-8
DET DA '	Ammonium perfluorotridecanoate (PFTrDA-NH <sub>4</sub> )	4288-72-6
PFTrDA, its salts	Sodium perfluorotridecanoate (PFTrDA-Na)	60872-01-7
	Perfluorotridecanoate (anion)	862374-87-6
DETDA 's de	Perfluorotetradecanoic acid (PFTDA)	376-06-7
PFTDA, its salts	Perfluorotetradecanoate (anion)	365971-87-5
	1H,1H,2H,2H-Perfluorododecane sulfonic acid (10:2 FTS)	120226-60-0
10:2 FTS, its salts	1H,1H,2H,2H-Perfluorododecane sulfonic acid Sodium Salt (10:2 FTS-Na)	108026-35-3
	Perfluorononane sulfonic acid (PFNS)	68259-12-1
	Sodium perfluoro-1-nonanesulfonate (PFNS-Na*)	98789-57-2
PFNS, its salts	Ammonium nonadecafluorononanesulphonate (PFNS-NH <sub>4</sub> )	17202-41-4
	Potassium perfluorononanesulfonate (PFNS-K*)	29359-39-5
	Perfluorononane sulfonate (anion)	474511-07-4
DELL DC 's b	Perfluoroundecane sulfonic acid (PFUnDS)	749786-16-1
PFUnDS, its salts	Perfluoroundecanesulfonate (anion)	441296-91-9
	Perfluorododecane sulfonic acid (PFDoDS)	79780-39-5
	Sodium perfluoro-1-dodecanesulfonate (PFDoDS-Na*)	1260224-54-1
PFDoDS, its salts	Potassium perfluorododecanesulfonate (PFDoDS-K)	85187-17-3
	Perfluorododecane sulfonate (anion)	343629-43-6
DET DC 'I II	Perfluorotridecane sulfonic acid (PFTrDS)	791563-89-8
PFTrDS, its salts	Sodium perfluoro-1-tridecanesulfonate (PFTrDS-Na*)	174675-49-1
	10:2 Fluortelomerphosphatediester (10:2 diPAP)	1895-26-7
10:2 diPAP, its salts	bis[3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12- henicosafluorododecyl] hydrogen phosphate, compound with 2,2'-iminodiethanol (1:1) (10:2 diPAP-C <sub>4</sub> H <sub>11</sub> O <sub>2</sub> )	57677-98-2
10·2 ···	10:2 Fluortelomerphosphatemonoester (10:2 monoPAP)	57678-05-4
L0:2 monoPAP, its salts	10:2 Fluorotelomer diammonium dihydrogen phosphate	93857-45-5
DED-DA is li	Perfluoropentadecanoic acid (PFPeDA, C15)	141074-63-7
PFPeDA, its salts	Nonacosafluoropentadecanoate (PFPeDA (anion))	1214264-29-5
DELL-DA & U	Perfluorohexadecanoic acid (PFHxDA, C16)	67905-19-5
PFHxDA, its salts	Hentriacontafluorohexadecanoate anion (PFHxDA (anion))	1214264-30-8



No.: ETR24B00544 Date: 11-Nov-2024 Page: 33 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
DEODA :: !:	Perfluorooctadecanoic acid (PFODA, C18)	16517-11-6
PFODA, its salts	Perfluorooctadecanoate anion (PFODA (anion))	798556-82-8
	Perfluorodecane sulfonate (PFDS)	335-77-3
	Perfluorodecanesulfonate Na-salt (PFDS-Na)	2806-15-7
DED 6 11 11	Perfluorodecanesulfonate K-salt (PFDS-K)	2806-16-8
PFDS, its salts	Perfluoroaliphatic dean-sulfonate salt of NH <sub>4</sub> (PFDS-NH <sub>4</sub> )	67906-42-7
	Perfluorodecane sulfonate (anion)	126105-34-8
	Perfluorodecane sulfonic anhydride (PFDSA)	51667-62-0
	2H,2H-Perfluorodecane acid (H2PFDA)	27854-31-5
H2PFDA, its salts	Tetrabutylphosphonium 2H,2H-Perfluorodecanoate	882489-14-7
	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4
ADONA, its salts	Ammonium 4,8-dioxa-3H-perfluorononanoate (ADONA-NH <sub>4</sub> )	958445-44-8
	Sodium 4,8-dioxa-3H-perfluorononanoate (ADONA-Na)	2250081-67-3
	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acide (HFPO-DA)	13252-13-6
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-(2R)-	75579-39-4
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-(2S)-	75579-40-7
	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, K-salts	67118-55-2
	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, ammonium salts	62037-80-3
HFPO-DA, its salts & derivatives	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, sodium salt (1:1)	67963-75-1
·	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, ion(1-)	122499-17-6
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, compd. with N-propyl-1-propanamine (1:1)	165951-17-7
	Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, compd. with N,N-diethylethanamine (1:1) (9Cl)	165951-18-8
	4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate	298703-31-8
	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, its acyl halides	2062-98-8



No.: ETR24B00544 Date: 11-Nov-2024 Page: 34 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
HFPO-DA, its salts & derivatives	Benzoic acid, 2,3,6-triiodo-, (1-methyl-3-piperidinyl)methyl ester, compd. with 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoro propoxy)propanoate (1:1) (HFPO- $C_{14}H_{16}I_3NO_2$ )	2412106-69-3
	1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)	757124-72-4
4:2 FTS, its salts	1H,1H,2H,2H-perfluorohexane sulfonate acid sodium salt	27619-93-8
	4: 2 Fluorotelomer sulfonate (4:2FTS(anion))	414911-30-1
	Perfluorooctane sulfonamidoacetic acid (FOSAA)	2806-24-8
	N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))	909405-47-6
FOSAA, its salts	N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)	75260-69-4
	N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)	115716-87-5
	N-methylperfluorooctane sulfonamidoacetic acid (N-MeFOSAA)	2355-31-9
N-MeFOSAA, its salts	2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))	909405-48-7
	Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)	70281-93-5
	N-ethylperfluorooctane sulfonamidoacetic acid (N-EtFOSAA)	2991-50-6
	Potassium N-ethyl-N- ((heptadecafluorooctyl)sulphonyl)glycinate (N-Et-FOSAA-K)	2991-51-7
N-EtFOSAA, its salts	2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))	909405-49-8
	Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH <sub>4</sub> )	2991-52-8
	Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)	3871-50-9
	2H,2H,3H,3H-Perfluoroundecanoic Acid (4HPFUnA)	34598-33-9
4HPFUnA, its salts	Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K)	83310-58-1
	Lithium 3-(perfluorooctyl)propanoate (H4PFUnA-Li)	67304-23-8
	Perfluoropentane sulfonic acid (PFPeS)	2706-91-4
	Sodium perfluoro-1-pentanesulfonate (PFPeS-Na*)	630402-22-1
	Potassium perfluoropentane-1-sulphonate (PFPeS-K)	3872-25-1
PFPeS, its salts	Ammonium perfluoropentanesulfonate (PFPeS-NH <sub>4</sub> *)	68259-09-6
	Bis(2-hydroxyethyl) ammonium 1,1,2,2,3,3,4,4,5,5,5- undecafluoropentane-1-sulphonate	70225-17-1
	Undecafluoropentane-1-sulfonic acid lithium salt (PFPeS-Li)	1046864-81-6



No.: ETR24B00544 Date: 11-Nov-2024 Page: 35 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
PFPeS, its salts	Perfluoropentane sulfonate (anion)	175905-36-9
	Triethylammonium perfluoropentane sulfonate	72033-42-2
	Perfluoropentane sulfonic anhydride (PFPeSA)	161877-72-1
	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl- PF <sub>3</sub> ONS and its salts)	756426-58-1
9CI-PF <sub>3</sub> ONS, its salts	Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate (9CI-PF <sub>3</sub> ONS-K)	73606-19-6
	Ammonium perfluoro-2-[(6-chlorohexyl)oxy]ethane-1-sulfonate (9Cl-PF <sub>3</sub> ONS-NH <sub>4</sub> )	1383434-28-3
44.61.75.01.16.7	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF <sub>3</sub> OUdS)	763051-92-9
11Cl-PF₃OUdS, its salts	Potassium 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (11Cl-PF <sub>3</sub> OUdS-K)	83329-89-9
	Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate (8:2diPAP)	678-41-1
	Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6
8:2diPAP, its salts	Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate	57677-97-1
	Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt (8:2diPAP-NH <sub>4</sub> )	93776-20-6
	8:2 Fluorotelomer phosphate diester ion	1411713-91-1
	11H-Perfluoroundecanoic acid (11H-PFUnDA)	1765-48-6
	potassium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11- icosafluoroundecanoate (11H-PFUnDA-K)	307-71-1
11H-PFUnDA, its salts	Ammonium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11- icosafluoroundecanoate (11H-PFUnDA-NH <sub>4</sub> )	5081-02-7
	11-H-Perfluoroundecanoate (11H-PFUnDA(anion))	69681-37-4
	Pentafluoropropionate acid (PFPrA)	422-64-0
	Sodium pentafluoropropionate (PFPrA-Na)	378-77-8
PFPrA, its salts	Silver pentafluoropropionate (PFPrA-Ag)	509-09-1
	Potassium pentafluoropropionate (PFPrA-K)	378-76-7
	Ammonium pentafluoropropionate (PFPrA-NH <sub>4</sub> )	2730-58-7
	6:6 Perfluorophosphinic acid (6:6 PFPi)	40143-77-9
	Sodium bis(perfluorohexyl)phosphinate (6:6 PFPi-Na)	70609-44-8
6:6 PFPi, its salts	Bis(perfluorohexyl) phosphinic acid ytterbium(3+) salt (6:6 PFPi-Yb)	500776-72-7
	Bis(perfluorohexyl) phosphinic acid erbium(3+) salt (6:6 PFPi- Er)	500776-73-8



No.: ETR24B00544 Date: 11-Nov-2024 Page: 36 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
	8:8 Perfluorophosphinic acid (8:8 PFPi)	40143-79-1
	Sodium bis(perfluorooctyl)phosphinate (8:8 PFPi-Na)	500776-69-2
8:8 PFPi, its salts	Bis(perfluorooctyl) phosphinic acid erbium(3+) salt (8:8 PFPi- Er)	500776-70-5
	Bis(perfluorooctyl) phosphinic acid ytterbium(3+) salt (8:8 PFPi-Yb)	500776-71-6
	Mono[2-(perfluorohexyl)ethyl] Phosphate (6:2 monoPAP)	57678-01-0
6:2 monoPAP, its salts	Diammonium 6:2 fluorotelomer phosphate monoester (6:2 monoPAP-NH <sub>4</sub> NH <sub>4</sub> )	1000852-37-8
	Mono-[2-(perfluorooctyl)ethyl]phosphate (8:2 monoPAP)	57678-03-2
	8:2 Fluorotelomer diammonium phosphate	93857-44-4
	Disodium 1H,1H,2H,2H-perfluorodecylphosphate	438237-75-3
	Ammonium bis[2-(perfluorohexyl)ethyl] phosphate	1764-95-0
8:2 monoPAP, its salts	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanol phosphate ammonium salt	92401-44-0
	Sodium 1H,1H,2H,2H-perfluorooctylphosphate	144965-22-0
	Monopotassium monoperfluorohexyl ethylphosphate	150033-28-6
	Ammonium 2-(perfluorohexyl)ethyl hydrogen phosphate	2353-52-8
	1H,1H,2H,2H-Perfluorooctanephosphonic acid (6:2 FTPA)	252237-40-4
6:2 FTPA, its salts	Sodium hydrogen ((perfluorohexyl)ethyl)phosphonate (Cheminox FHP 2OH-Na(PFHEPA-Na))	1189052-95-6
	Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid (HFPO-TA)	13252-14-7
	Potassium perfluoro(2-(2-propoxypropoxy)propanoate) (HFPO-TA-K)	67118-57-4
HFPO-TA, its salts	Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid, sodium salt (HFPO-TA-Na)	67963-76-2
	2,3,3,3-Tetrafluoro-2-[1,1,2,3,3,3-hexafluoro-2- (heptafluoropropoxy)propoxy]propanoic acidammonia (HFPO-TA-NH <sub>4</sub> )	13043-05-5
	Hexafluoropropene oxide trimer (HFPO-TA-F)	2641-34-1
	Bis[2-(perfluorohexyl)ethyl] Phosphate (6:2 diPAP)	57677-95-9
6:2 diPAP, its salts	Sodium bis[2-(perfluorohexyl)ethyl] phosphate (6:2 diPAP-Na)	407582-79-0
	Bis(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphate ion (6:2 diPAP(anion))	667465-18-1
	Trifluoromethanesulfonimide (TFSI)	82113-65-3
TFSI, its salts	Pyrrolidinium, 1-butyl-1-methyl-, salt with 1,1,1-trifluoro-N-[(trifluoromethyl)sulfonyl]methanesulfonamide (1:1)	223437-11-4



No.: ETR24B00544 Date: 11-Nov-2024 Page: 37 of 53

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Group Name	Substance Name	CAS No.
TFSI, its salts	Tributylmethyl Ammonium Bis(trifluoromethanesulfonyl) Imide	405514-94-5
	Lithium bis((trifluoromethyl)sulfonyl)azanide (TFSI-Li)	90076-65-6
	1-Decyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide	433337-23-6
TFMS, its salts	Trifluoromethane sulfonic acid (TFMS)	1493-13-6
	Trifluoromethane sulfonic acid Sodium salt (TFMS-Na)	2926-30-9
	Silver trifluoromethanesulfonate (TFMS-Ag)	2923-28-6
	Zinc trifluoromethanesulfonate (TFMS-Zn)	54010-75-2
	Scandium trifluoromethanesulfonate (TFMS-Sc)	144026-79-9
	Trifluoromethanesulfonic anhydride	358-23-6
	Lithium trifluoromethanesulfonate (TFMS-Li)	33454-82-9
	Copper(II) trifluoromethanesulfonate (TFMS-Cu)	34946-82-2
	Barium trifluoromethanesulfonate (TFMS-Ba)	2794-60-7
	Cerium(IV) trifluoromethanesulfonate (TFMS-Ce)	107792-63-2
	Magnesium trifluoromethanesulfonate (TFMS-Mg)	60871-83-2
	Potassium trifluoromethanesulfonate (TFMS-K)	2926-27-4
	Nickel(II) Trifluoromethanesulfonate (TFMS-Ni)	60871-84-3
	Tin(II) trifluoromethanesulfonate (TFMS-Sn)	62086-04-8
	Yttrium(III) trifluoromethanesulfonate (TFMS-Y)	52093-30-8
	Iron(III) trifluoromethanesulfonate (TFMS-Fe)	63295-48-7
	Cerium(III) Trifluoromethanesulfonate (TFMS-Ce)	76089-77-5
PFPrS, its salts	Perfluoropropate sulfonic acid (PFPrS)	423-41-6
	Perfluoropropanesulfonic acid sodium salt (PFPrS-Na)	359868-82-9
PFHpSi, its salts	Perfluoroheptane-1-sulfinic acid (PFHpSi)	769067-51-8
	1-heptanesulfinic Acid Sodium Salt (PFHpSi-Na)	68555-66-8
PFOPA, its salts	Perfluorooctylphosphoic acid (PFOPA)	40143-78-0
	(Heptadecafluorooctyl)phosphonic acid4-methylaniline (1/1)	1263361-03-0
Ethyl perfluoroisobutyl ether and its	Ethyl perfluoroisobutyl ether and its isomers	163702-05-4
isomers	Perfluoroisobutyl ethyl ether	163702-06-5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

( Cr<sup>6+</sup> test method excluded )



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 38 of 53




No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - PBBs / PBDEs

First testing process \_\_\_\_\_
Optional screen process \_\_\_\_
Confirmation process \_\_\_\_



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 39 of 53




No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 40 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 41 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 42 of 53




No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart

\* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 43 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - TBBP-A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 44 of 53




No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - TBBP-A-bis

First testing process
Optional screen process
Confirmation process



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 45 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - Bisphenol A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 46 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 47 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 48 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analysis flow chart for determination of Asbestos 【Reference method: EPA 600/R-93/116】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 49 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - Red phosphorus



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 50 of 53




No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A \ US EPA 3052】



<sup>\*</sup> US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 51 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

#### Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 52 of 53



No.: ETR24B00544 Date: 11-Nov-2024

RESONAC CORPORATION 5-1 SUNAYAMA, KAMISU-SHI, IBARAKI 314-0255, JAPAN

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

### ETR24B00544



\*\* End of Report \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 53 of 53