

Date: 10-May-2023

Page: 1 of 10

TAIYO YUDEN CO., LTD.

8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : TAIYO YUDEN CHEMICAL TECHNOLOGY CO., LTD.

No.: ETR23500365

Sample Name : PLATING Style/Item No. : M-CU

\_\_\_\_\_\_

Sample Receiving Date : 03-May-2023

Testing Period : 03-May-2023 to 10-May-2023

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and

amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

**Test Results** : Please refer to following pages.

**Conclusion** : (1) Based on the performed tests on submitted sample(s), the test results of

Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to

Directive 2011/65/EU.

Troy Chang / Department Malager Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 1AAAB150



No.: ETR23500365 Date: 10-May-2023 Page: 2 of 10

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

**Test Part Description** 

No.1 : COPPER COLORED METAL SHEET

#### Test Result(s)

| Test Item(s)                    | Method   | Unit   | MDL | Result | Limit |
|---------------------------------|--|--------|-----|--------|-------|
|                                 |  |        |     | No.1   |       |
| Cadmium (Cd)                    | With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.            | mg/kg  | 2   | n.d.   | 100   |
| Lead (Pb)                       | With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.            | mg/kg  | 2   | n.d.   | 1000  |
| Mercury (Hg)                    | With reference to IEC 62321-4: 2013+AMD1: 2017, analysis was performed by ICP-OES. | mg/kg  | 2   | n.d.   | 1000  |
| Hexavalent Chromium Cr(VI) (#2) | With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.           | μg/cm² | 0.1 | n.d.   | -     |
| Monobromobiphenyl               |  | mg/kg  | 5   | n.d.   | -     |
| Dibromobiphenyl                 |  | mg/kg  | 5   | n.d.   | -     |
| Tribromobiphenyl                |  | mg/kg  | 5   | n.d.   | -     |
| Tetrabromobiphenyl              |  | mg/kg  | 5   | n.d.   | -     |
| Pentabromobiphenyl              | With reference to IEC 62321-6: 2015,   | mg/kg  | 5   | n.d.   | -     |
| Hexabromobiphenyl               | analysis was performed by GC/MS.   | mg/kg  | 5   | n.d.   | -     |
| Heptabromobiphenyl              | analysis was performed by GC/IVIS.   | mg/kg  | 5   | n.d.   | -     |
| Octabromobiphenyl               |  | mg/kg  | 5   | n.d.   | -     |
| Nonabromobiphenyl               |  | mg/kg  | 5   | n.d.   | -     |
| Decabromobiphenyl               |  | mg/kg  | 5   | n.d.   | -     |
| Sum of PBBs                     |  | mg/kg  | -   | n.d.   | 1000  |
| Monobromodiphenyl ether         |  | mg/kg  | 5   | n.d.   | -     |
| Dibromodiphenyl ether           |  | mg/kg  | 5   | n.d.   | -     |
| Tribromodiphenyl ether          |  | mg/kg  | 5   | n.d.   | -     |
| Tetrabromodiphenyl ether        |  | mg/kg  | 5   | n.d.   | 1     |
| Pentabromodiphenyl ether        | With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.              | mg/kg  | 5   | n.d.   | -     |
| Hexabromodiphenyl ether         |  | mg/kg  | 5   | n.d.   | -     |
| Heptabromodiphenyl ether        | analysis was performed by GC/WIS.  | mg/kg  | 5   | n.d.   | -     |
| Octabromodiphenyl ether         |  | mg/kg  | 5   | n.d.   | -     |
| Nonabromodiphenyl ether         |  | mg/kg  | 5   | n.d.   | -     |
| Decabromodiphenyl ether         |  | mg/kg  | 5   | n.d.   | -     |
| Sum of PBDEs                    |  | mg/kg  | -   | n.d.   | 1000  |



No.: ETR23500365 Date: 10-May-2023

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

| Method                               | Unit  | MDL  | Result  | Limit  |
|--------------------------------------|---|--|---|--|
|                                      |   |  | No.1  |  |
| With reference to IEC 62321-8: 2017, | mg/kg   | 50   | n.d.  | 1000   |
| analysis was performed by GC/MS.     |   |  |   |  |
| With reference to IEC 62321-8: 2017, | mg/kg   | 50   | n.d.  | 1000   |
| analysis was performed by GC/MS.     |   |  |   |  |
| With reference to IEC 62321-8: 2017, | mg/kg   | 50   | n.d.  | 1000   |
| analysis was performed by GC/MS.     |   |  |   |  |
| With reference to IEC 62321-8: 2017, | mg/kg   | 50   | n.d.  | 1000   |
| analysis was performed by GC/MS.     |   |  |   |  |
| With reference to IEC 62321-8: 2017, | mg/kg   | 50   | n.d.  | -  |
| analysis was performed by GC/MS.     |   |  |   |  |
| With reference to IEC 62321-8: 2017, | mg/kg   | 50   | n.d.  | -  |
| analysis was performed by GC/MS.     |   |  |   |  |
| With reference to IEC 62321-8: 2017, | mg/kg   | 50   | n.d.  | -  |
| analysis was performed by GC/MS.     |   |  |   |  |
| With reference to BS EN 14582: 2016, | mg/kg   | 50   | n.d.  | -  |
| analysis was performed by IC.        |   |  |   |  |
| With reference to BS EN 14582: 2016, | mg/kg   | 50   | n.d.  | -  |
| analysis was performed by IC.        |   |  |   |  |
| With reference to US EPA 3052: 1996, | mg/kg   | 2  | n.d.  | -  |
| analysis was performed by ICP-OES.   |   |  |   |  |
| With reference to US EPA 3052: 1996, | mg/kg   | 2  | 5.85  | -  |
| analysis was performed by ICP-OES.   |   |  |   |  |
| With reference to US EPA 3052: 1996, | mg/kg   | 2  | n.d.  | -  |
| analysis was performed by ICP-OES.   |   |  |   |  |
| With reference to US EPA 3052: 1996, | mg/kg   | 2  | n.d.  | -  |
| analysis was performed by ICP-OES.   |   |  |   |  |
|                                      | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to BS EN 14582: 2016, analysis was performed by IC.  With reference to BS EN 14582: 2016, analysis was performed by IC.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES. | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to BS EN 14582: 2016, analysis was performed by IC.  With reference to US EN 14582: 2016, analysis was performed by IC.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES. | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to BS EN 14582: 2016, analysis was performed by IC.  With reference to BS EN 14582: 2016, analysis was performed by IC.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES. | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.  With reference to IEC 62321-8: 2017, analysis was performed by IC.  With reference to US EN 14582: 2016, analysis was performed by IC.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.  With reference to US EPA 3052: 1996, analysis was performed by ICP-OES. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 3 of 10



No.: ETR23500365 Date: 10-May-2023

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

#### Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. (#2) =
  - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13  $\mu$ g/cm<sup>2</sup>. The sample coating is considered to contain Cr(VI).
  - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10  $\mu$ g/cm<sup>2</sup>). The coating is considered a non-Cr(VI) based coating
  - c. The result between 0.10  $\mu$ g/cm² and 0.13  $\mu$ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 6. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 10




No.: ETR23500365 Date: 10-May-2023

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

#### Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

( Cr<sup>6+</sup> test method excluded )



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 5 of 10




No.: ETR23500365 Date: 10-May-2023

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

### Analytical flow chart - PBBs / PBDEs

First testing process \_\_\_\_ Optional screen process....

Confirmation process \_\_\_\_



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 6 of 10




No.: ETR23500365 Date: 10-May-2023 Page: 7 of 10

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

### Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






No.: ETR23500365 Date: 10-May-2023 Page: 8 of 10

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

#### Analytical flow chart - Halogen






No.: ETR23500365 Date: 10-May-2023

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

### Analytical flow chart of Elements (Heavy Metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A \ US EPA 3052】



\* US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 9 of 10



No.: ETR23500365 Date: 10-May-2023

TAIYO YUDEN CO., LTD. 8-1, SAKAE-CHO, TAKASAKI-SHI, GUNMA, JAPAN

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

### ETR23500365



\*\* End of Report \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 10