

Test Report

號碼(No.): ETR23A01804M02

日期(Date): 20-Oct-2023

頁數(Page): 1 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.)

新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

樣品名稱(Sample Name) : Au PLATING LAYER

收件日(Sample Receiving Date)

11-Oct-2023

測試期間(Testing Period)

11-Oct-2023 to 17-Oct-2023

測試需求(Test Requested)

(1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

bbr, DEFIP, DIBP Contents in the submitted sample(s).)

測試結果(Test Results)

結 論(Conclusion)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

請參閱下一頁 (Please refer to following pages.)

(1) 根據客戶所選擇的部位測試,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on selected part of submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU)

2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Malager
Signed for and on behalf of Arway
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 92243BE8



Test Report

號碼(No.): ETR23A01804M02 日期(D

日期(Date): 20-Oct-2023

頁數(Page): 2 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.)

新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

測試部位敘述 (Test Part Description)

No.1 : 金色片狀鍍層 (PLATING LAYER OF GOLDEN COLORED SHEET)

No.2 : 金色片狀(含鍍層) (GOLDEN COLORED SHEET (INCLUDING THE PLATING LAYER))

測試結果 (Test Results)

測試項目	測試方法	單位	MDL		果	限值
(Test Items)	(Method)	(Unit)		(Result)		(Limit)
				No.1	No.2	
鎘 (Cd) (Cadmium (Cd))	酸洗脫鍍層,參考IEC 62321-5: 2013,以感應耦合電漿發射光譜儀 分析。(IEC 62321-5: 2013 application of modified digestion by surface etching, analysis was performed by ICP-OES.)	mg/kg	2	n.d.		100
鉛 (Pb) (Lead (Pb))	酸洗脫鍍層·參考IEC 62321-5: 2013·以感應耦合電漿發射光譜儀 分析。(IEC 62321-5: 2013 application of modified digestion by surface etching, analysis was performed by ICP-OES.)	mg/kg	2	n.d.		1000
汞 (Hg) (Mercury (Hg))	酸洗脫鍍層·參考IEC 62321-4: 2013+ AMD1: 2017·以感應耦合 電漿發射光譜儀分析。(IEC 62321- 4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP-OES.)	mg/kg	2	n.d.		1000
六價鉻 (Hexavalent Chromium) Cr(VI) (#2)	參考IEC 62321-7-1: 2015 · 以紫外 光-可見光分光光度計分析。(With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.)	μg/cm²	0.1	n.d.		-



Test Report

號碼(No.): ETR23A01804M02 日期(Date): 20-Oct-2023 頁數(Page): 3 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

測試項目	測試方法	單位	MDL	結	果	限值
(Test Items)	(Method)	(Unit)		(Res	sult)	(Limit)
				No.1	No.2	
全氟辛烷磺酸及其鹽類 (PFOS and its	参考CEN/TS 15968: 2010 · 以液相	μg/m²	0.5	n.d.		-
salts) (CAS No.: 1763-23-1 and its	層析串聯質譜儀分析。(With					
salts)	reference to CEN/TS 15968:					
	2010, analysis was performed by	μg/m²	0.5	n.d.		-
(CAS No.: 335-67-1 and its salts)	LC/MS/MS.)					
銻 (Sb) (Antimony (Sb)) (CAS No.:	酸洗脫鍍層,參考US EPA 3050B:	mg/kg	2	n.d.		-
7440-36-0)	1996,以感應耦合電漿發射光譜儀					
	分析。(US EPA 3050B: 1996					
	application of modified digestion					
	by surface etching, analysis was					
	performed by ICP-OES.)					
鈹 (Be) (Beryllium (Be)) (CAS No.:	酸洗脫鍍層,參考US EPA 3050B:	mg/kg	2	n.d.		-
7440-41-7)	1996 · 以感應耦合電漿發射光譜儀					
	分析。(US EPA 3050B: 1996 application of modified digestion					
	by surface etching, analysis was					
	performed by ICP-OES.)					
一溴聯苯 (Monobromobiphenyl)		mg/kg	5		n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5		n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5		n.d.	-
四溴聯苯 (Tetrabromobiphenyl)	☆老店	mg/kg	5		n.d.	-
五溴聯苯 (Pentabromobiphenyl)	參考IEC 62321-6: 2015,以氣相層	mg/kg	5		n.d.	-
六溴聯苯 (Hexabromobiphenyl)	析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5		n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5		n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5		n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5		n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5		n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-		n.d.	1000



Test Report

號碼(No.): ETR23A01804M02

日期(Date): 20-Oct-2023

頁數(Page): 4 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.)

新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

測試項目	測試方法	單位	MDL	結	果	限值
(Test Items)	(Method)	(Unit)		(Res	sult)	(Limit)
				No.1	No.2	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5		n.d.	
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5		n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5		n.d.	
四溴聯苯醚 (Tetrabromodiphenyl ether)	 參考IEC 62321-6: 2015,以氣相層	mg/kg	5		n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	新儀/質譜儀分析。(With reference	mg/kg	5		n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	to IEC 62321-6: 2015, analysis	mg/kg	5		n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)	was performed by GC/MS.)	mg/kg	5		n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)	was performed by Ge/Wis.)	mg/kg	5		n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	-	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	-	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	ı		n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl	參考IEC 62321-8: 2017 · 以氣相層	mg/kg	50		n.d.	1000
benzyl phthalate (BBP))	析儀/質譜儀分析。(With reference					
	to IEC 62321-8: 2017, analysis					
	was performed by GC/MS.)					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	參考IEC 62321-8: 2017 · 以氣相層	mg/kg	50		n.d.	1000
phthalate (DBP))	析儀/質譜儀分析。(With reference					
	to IEC 62321-8: 2017, analysis					
	was performed by GC/MS.)					
鄰苯二甲酸二(2-乙基己基)酯 (DEHP)	參考IEC 62321-8: 2017,以氣相層	mg/kg	50		n.d.	1000
(Di-(2-ethylhexyl) phthalate (DEHP))	析儀/質譜儀分析。(With reference					
	to IEC 62321-8: 2017, analysis					
	was performed by GC/MS.)					
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50		n.d.	1000
phthalate (DIBP))	析儀/質譜儀分析。(With reference					
	to IEC 62321-8: 2017, analysis					
	was performed by GC/MS.)					



Test Report

號碼(No.): ETR23A01804M02 日期(Date): 20-Oct-2023 頁數(Page): 5 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

測試項目	測試方法	單位	MDL		果	限值
(Test Items)	(Method)	(Unit)		(Res		(Limit)
				No.1	No.2	
鄰苯二甲酸二異癸酯 (DIDP)	參考IEC 62321-8: 2017 · 以氣相層	mg/kg	50		n.d.	-
(Diisodecyl phthalate (DIDP)) (CAS	析儀/質譜儀分析。(With reference					
No.: 26761-40-0, 68515-49-1)	to IEC 62321-8: 2017, analysis					
	was performed by GC/MS.)					
鄰苯二甲酸二異壬酯 (DINP)	參考IEC 62321-8: 2017 · 以氣相層	mg/kg	50		n.d.	-
(Diisononyl phthalate (DINP)) (CAS	析儀/質譜儀分析。(With reference					
No.: 28553-12-0, 68515-48-0)	to IEC 62321-8: 2017, analysis					
	was performed by GC/MS.)					
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-	參考IEC 62321-8: 2017,以氣相層	mg/kg	50		n.d.	-
octyl phthalate (DNOP)) (CAS No.:	析儀/質譜儀分析。(With reference					
117-84-0)	to IEC 62321-8: 2017, analysis					
	was performed by GC/MS.)					
六溴環十二烷及所有主要被辨別出的異構物	參考IEC 62321: 2008 · 以氣相層析	mg/kg	5		n.d.	-
(HBCDD) (α- HBCDD, β- HBCDD, γ-	儀/質譜儀分析。(With reference					
HBCDD) (Hexabromocyclododecane	to IEC 62321: 2008, analysis was					
(HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ -	performed by GC/MS.)					
HBCDD)) (CAS No.: 25637-99-4, 3194-						
55-6 (134237-51-7, 134237-50-6,						
134237-52-8))						
氟 (F) (Fluorine (F)) (CAS No.: 14762-		mg/kg	50		76.2	-
94-8)		9, 9				
氯 (Cl) (Chlorine (Cl)) (CAS No.:	参考BS EN 14582: 2016,以離子	mg/kg	50		83.5	-
22537-15-1)	層析儀分析。(With reference to	3, 3				
溴 (Br) (Bromine (Br)) (CAS No.:	BS EN 14582: 2016, analysis was	mg/kg	50		n.d.	-
10097-32-2)	performed by IC.)					
碘 (I) (Iodine (I)) (CAS No.: 14362-44-		mg/kg	50		n.d.	-
8)						



Test Report

號碼(No.): ETR23A01804M02 日期(Date): 20-Oct-2023 頁數(Page): 6 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.)

新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. "---" = Not Conducted (未測試項目)
- 6. (#2) =
 - a. 當六價鉻結果大於0.13 μg/cm²·表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).) b. 當六價鉻結果為n.d. (濃度小於0.10 μg/cm²)·表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating) c. 當六價鉻結果介於 0.10 及 0.13 μg/cm² 時,無法確定塗層是否含有六價鉻。(The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.)
- 7. 除非另有說明·參照ILAC-G8:09/2019·採用簡單二元(w=0)允收規則進行符合性判定;根據此規則·符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)
- 8. 本報告為 ETR23A01804 之異動報告。(This is the additional test report of ETR23A01804.)



Test Report

號碼(No.): ETR23A01804M02 日期(Date): 20-Oct-2023 頁數(Page): 7 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.)

新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟辛烷磺酸及其鹽類 Perfluorooctane sulfonates and	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	56773-42-3
	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7



Test Report

號碼(No.): ETR23A01804M02 日期(Date): 20-Oct-2023 頁數(Page): 8 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

Marker 47 150

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟辛烷磺酸及其鹽類 Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
全氟辛酸及其鹽類 Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5



Test Report

號碼(No.): ETR23A01804M02


日期(Date): 20-Oct-2023

頁數(Page): 9 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

鍍層重金屬測試流程圖 / Flow chart of stripping method for metal analysis

根據以下的流程圖之條件,樣品之外部鍍層已完全溶解。(六價鉻測試方法除外) / The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)





Test Report


號碼(No.): ETR23A01804M02

日期(Date): 20-Oct-2023

頁數(Page): 10 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report


號碼(No.): ETR23A01804M02 日期(Date): 20-Oct-2023

頁數(Page): 11 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

鍍層重金屬測試流程圖 / Flow chart of stripping method for metal analysis

根據以下的流程圖之條件,樣品之外部鍍層已完全溶解。 / The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart.






Test Report

號碼(No.): ETR23A01804M02 日期(Date): 20-Oct-2023

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 12 of 16



Test Report

號碼(No.): ETR23A01804M02


日期(Date): 20-Oct-2023

頁數(Page): 13 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





Test Report


號碼(No.): ETR23A01804M02

日期(Date): 20-Oct-2023

頁數(Page): 14 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report


號碼(No.): ETR23A01804M02

日期(Date): 20-Oct-2023

頁數(Page): 15 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

鹵素分析流程圖 / Analytical flow chart - Halogen





Test Report

號碼(No.): ETR23A01804M02

日期(Date): 20-Oct-2023

頁數(Page): 16 of 16

旭德科技股份有限公司 (SUBTRON TECHNOLOGY CO., LTD.) 新竹縣湖口工業區光復北路8號 (NO. 8, KUANG FU NORTH ROAD, HU KOU, HSIN-CHU INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23A01804 NO.1



ETR23A01804 NO.2



** 報告結尾 (End of Report) **